



**IEEE** TRANSACTIONS ON

# **MICROWAVE THEORY AND TECHNIQUES.**

**FEBRUARY 1969**

VOLUME MTT-17

NUMBER 2

Published Monthly

SUPPLEMENT

---

UNIVERSITY OF HAWAII  
LIBRARY

PERIODICAL

Annual Index 1968

UNIVERSITY OF HAWAII  
LIBRARY

---

PERIODICAL

K 7800

L 23

IEEE TRANSACTIONS ON MICROWAVE THEORY AND TECHNIQUES is published monthly by the Institute of Electrical and Electronics Engineers, Inc., 345 East 47 Street, New York, N. Y. 10017. Responsibility for the contents rests upon the authors and not upon the IEEE, the Group, or its members. Individual copies may be purchased at the following prices: IEEE members (one copy) \$2.50; public libraries and colleges \$3.75 in the U.S.A. and Canada, \$4.25 elsewhere. Others \$5.00 in U.S.A. and Canada, \$5.50 elsewhere. Annual subscription price: IEEE members, dues plus Group fee. Price for nonmembers available on request. Abstracting is permitted with mention of source. All rights including translation, are reserved by the IEEE. Requests for republication permission should be addressed to the IEEE Editorial Department, 345 East 47 Street, New York, N. Y. 10017. Copyright © 1969 by The Institute of Electrical and Electronics Engineers, Inc. Printed in U.S.A. Second class postage paid at New York, N. Y., and additional mailing offices.



# 1968 Index

## IEEE Transactions on Microwave Theory and Techniques

### Vol. MTT-16

This index covers the papers and technical correspondence appearing in this periodical during 1968. A combined index of all IEEE 1968 periodical and conference papers will be published early in 1969. A magnetic tape of all of these indexes, suitable for computer use, is being prepared. Address inquiries as to its availability to the Information Services Department, IEEE, 345 East 47th Street, New York, N. Y. 10017.

The primary entry for an item is in the Author Index, listed by name of the first author, and includes notice of all subsequent comments, corrections, etc., that have appeared up to the time of index preparation. The published occurrence of the item is described by listing the journal code, year, month, and inclusive pages. Volume number is not given. There is a cross-reference entry to the first author's name from every coauthor, commenter, etc. Publication date is also given in cross-references, to assist in identifying the item.

In the Subject Index there are several entries for each published item, under descriptive subject headings that establish a context. The item is referenced only in abbreviated form in the Subject Index. Always refer to the Author Index for full details—only there will you discover coauthor names, title, and the existence of corrections, comments, etc.

#### A U T H O R I N D E X

##### A

- Adams, J. W., and R. G. Desch; Experimental confirmation of barretter substitution error (Corresp.). *T-MTT 68 Mar* 201-202
- Agrios, John P., see Stern, Richard A., *T-MTT 68 Dec* 1034-1037
- Aitchison, C. S., R. Davies, and C. D. Payne; Bandwidth of a balanced micropill-diode parametric amplifier (Corresp.). *T-MTT 68 Jan* 46-47
- Allen, J. Lamar, and Donald R. Taft; Ferrite elements for hybrid microwave integrated systems. *T-MTT 68 Jul* 405-411  
Also published as *J-SC 68 Jun* 67-73  
Also published as *T-ED 68 Jul* 467-473
- Altschuler, Helmut M., *T-MTT 68 Apr* 261-262  
Comments, with authors' reply, on Hoffman, G. R., and A. A. Willem; An improved method for measuring scattering parameters of nonreciprocal two-ports (Corresp.). *T-MTT 67 Feb* 131-133
- Amitay, N., and V. Galindo; On the scalar product of certain circular and Cartesian wave functions (Corresp.). *T-MTT 68 Apr* 265-266
- Andersen, J. Bach, and B. Majborn; Semiconductor rod in waveguides—field distribution for positive and negative conductivity (Corresp.). *T-MTT 68 Mar* 194-196
- Arams, F. R., see Peyton, B. J., *T-MTT 68 May* 319-320
- Arndt, Fritz; High-pass transmission-line directional coupler (Corresp.). *T-MTT 68 May* 310-311
- Ashley, J. Robert, and Clifford B. Searles; Microwave oscillator noise reduction by a transmission stabilizing cavity. *T-MTT 68 Sep* 743-748
- Ashley, J. Robert, Clifford B. Searles, and Frank M. Palka; The measurement of oscillator noise at microwave frequencies. *T-MTT 68 Sep* 753-760
- Atwood, W., and Harold E. Stinehelfer, Sr.; A multistub filter for microstripline (Corresp.). *T-MTT 68 Jul* 477-480  
Also published as *J-SC 68 Jun* 139-142  
Also published as *T-ED 68 Jul* 539-542

##### B

- Baechtold, W., and M. J. O. Strutt; Noise in microwave transistors. *T-MTT 68 Sep* 578-585
- Bahar, Ezekiel; Wave scattering in nonuniform waveguides with large flare angles and near cutoff. *T-MTT 68 Aug* 503-510
- Bandler, John W.; Computer optimization of a stabilizing network for a tunnel-diode amplifier. *T-MTT 68 Jun* 326-333
- Bates, C., and M. Ettenberg; Measurement of the probability density function of a microwave noise generator (Corresp.). *T-MTT 68 Sep* 793-795
- Bathker, Dan A., see Levy, Gerald S., *T-MTT 68 Sep* 596-602
- Battershall, Barry W., and Stephen P. Emmons; Optimization of diode structures for monolithic integrated microwave circuits. *T-MTT 68 Jul* 445-450  
Also published as *J-SC 68 Jun* 107-112  
Also published as *T-ED 68 Jul* 507-512
- Beard, S. G., see Zelby, L. W., *T-MTT 68 Aug* 566-567
- Beatty, R. W.; Discussion of effect of realizability conditions upon estimated

- limits of mismatch error in the calibration of fixed attenuators (Corresp.). *T-MTT 68 Nov* 976
- Beaubien, Marcel J., and Alvin Wexler; An accurate finite-difference method for higher order waveguide modes. *T-MTT 68 Dec* 1007-1017
- Belohoubek, E., see Presser, A., *T-MTT 68 Jul* 482-483
- Benedek, P., see Earle, Michael A., *T-MTT 68 Oct* 884-885
- Berger, Henry, and John W. E. Griemsmann; Guided waves in moving dispersive media—Part I: Nonrelativistic velocities. *T-MTT 68 Jan* 11-16
- Berger, Henry, and John W. E. Griemsmann; Guided waves in moving dispersive media—Part II: Relativistic velocities. *T-MTT 68 Jan* 16-20
- Berger, Henry, and John W. E. Griemsmann; Transient electromagnetic guided wave propagation in moving media. *T-MTT 68 Oct* 842-849
- Bergman, J. O., and C. Christensen; Equivalent circuit for a lumped element Y circulator (Corresp.). *T-MTT 68 May* 308-310
- Bernardi, P., and F. Valdoni; The impedance wall concept applied to a dielectrically loaded waveguide problem (Corresp.). *T-MTT 68 Feb* 126-127
- Beyer, James B., see Chaffin, Roger J., *T-MTT 68 Jan* 37-45
- Beyer, James B., see Chaffin, Roger J., *T-MTT 68 Oct* 878-879
- Blau, R.; A microwave integrated circuit avalanche-diode oscillator (Corresp.). *T-MTT 68 Mar* 196-197
- Block, Arthur, see Bura, P., *T-MTT 68 Jul* 424-428
- Bongianni, W. L., J. Burnsweig, and J. H. Polson; Performance of ultra-bandwidth YIG pulse compression networks (Corresp.). *T-MTT 68 Dec* 1061-1064
- Boyd, C. R., Jr., see Hord, William E., *T-MTT 68 Nov* 902-910
- Breithaupt, Robert W.; Conductance data for offset series slots in stripline (Corresp.). *T-MTT 68 Nov* 969-971
- Brown, Wilfred E., III, see Haroules, George G., *T-MTT 68 Sep* 611-620
- Browne, A.; The feasibility of locating waveguide arcs by sound ranging (Corresp.). *T-MTT 68 Oct* 894
- Bryant, Thomas G., and Jerald A. Weiss; Parameters of microstrip transmission lines and of coupled pairs of microstrip lines. *T-MTT 68 Dec* 1021-1027
- Buck, Daniel C.; Propagation in longitudinally magnetized ferrite-loaded waveguide. *T-MTT 68 Dec* 1028-1033
- Bura, P., Raymond Camisa, Wen Y. Pan, Shui Yuan, and Arthur Block; Design considerations for an integrated 1.8-GHz parametric amplifier. *T-MTT 68 Jul* 424-428  
Also published as *J-SC 68 Jun* 86-90  
Also published as *T-ED 68 Jul* 486-490
- Burdick, G. A., see Horton, J. B., *T-MTT 68 Oct* 873-875
- Burke, T. F., see Gelnovatch, V. G., *T-MTT 68 Jul* 429-439
- Burman, R.; Some electromagnetic wave functions for propagation along cylindrically stratified columns (Corresp.). *T-MTT 68 Feb* 127-129
- Burnsweig, J., see Bongianni, W. L., *T-MTT 68 Dec* 1061-1064
- Burrus, Charles A., see Lee, Tien Pei, *T-MTT 68 May* 287-296
- Butterweck, Hans-Jürgen; Mode filters for oversized rectangular waveguides. *T-MTT 68 May* 274-281

##### C

- Camisa, Raymond, see Bura, P., *T-MTT 68 Jul* 424-428
- Campbell, James J.; Application of the solutions of certain boundary value problems to the symmetrical four-port junction and specially truncated bends in parallel-plate waveguides and balanced strip-transmission lines. *T-MTT 68 Mar* 165-176
- Campbell, James J., and William R. Jones; Symmetrically truncated right-angle corners in parallel-plate and rectangular waveguides. *T-MTT 68 Aug* 517-529
- Carson, C. T.; The numerical solution of waveguide problems by fast Fourier transforms (Corresp.). *T-MTT 68 Nov* 955-958
- Caulton, Martin, Stanley P. Knight, and Daniel A. Daly; Hybrid integrated lumped-element microwave amplifiers. *T-MTT 68 Jul* 397-404  
Also published as *J-SC 68 Jun* 59-66  
Also published as *T-ED 68 Jul* 459-466
- Censor, Dan; First-order propagation in moving media (Corresp.). *T-MTT 68 Aug* 565-566
- Censor, Dan, see Nathan, Amos, *T-MTT 68 Oct* 883-884
- Chaffin, Roger J., and James B. Beyer; Plasma diagnostics with a microwave Fabry-Perot resonator. *T-MTT 68 Jan* 37-45
- Chaffin, Roger J., and James B. Beyer; Diagnostics of an anisotropic plasma with a microwave Fabry-Perot resonator (Corresp.). *T-MTT 68 Oct* 878-879
- Champlin, Keith S., Gary H. Glover, John D. Holm, and Nicholas A. Patrin; Calibrated reflection coefficient standards for the circular TE<sub>01</sub> mode. *T-*



## MTT 68 Feb 90-94

- Chang, I. C.; Note on perturbation analysis of guided waves in inhomogeneous media (Corresp.). *T-MTT 68 Apr 260*
- Checcacci, Pier F., Anna Consortini, and Annamaria Scheggi; Modes and instabilities of modes of the flat-roof open resonator. *T-MTT 68 Feb 103-109*
- Cheng, David K., see Kong, Jin A., *T-MTT 68 Feb 99-103*
- Christensen, C., see Bergman, J. O., *T-MTT 68 May 308-310*
- Christopher, A., and L. M. Silber; Ferromagnetic resonance in unsaturated planar ferrites (Corresp.). *T-MTT 68 May 315-316*
- Clark, William P.; A technique for improving the figure-of-merit of a twin-slab nonreciprocal ferrite phase shifter (Corresp.). *T-MTT 68 Nov 974-975*
- Clauss, R. C., and Petty, S. M., *T-MTT 68 Jan 47-48*
- Cohn, Seymour B.; A class of broadband three-port TEM-mode hybrids. *T-MTT 68 Feb 110-116*
- Cohn, Seymour B.; Microwave bandpass filters containing high- $Q$  dielectric resonators. *T-MTT 68 Apr 218-227*
- Cohn, Seymour B.; Equivalent circuit of the bolometer detector. *T-MTT 68 Aug 536-541*
- Collinet, Jean-Claude, see Hines, M. E., *T-MTT 68 Sep 738-742*
- Collins, T., see Peyton, B. J., *T-MTT 68 May 319-320*
- Connerney, William R.; Diode loop binary phase shifter (Corresp.). *T-MTT 68 Feb 134-135*
- Consortini, Anna, see Checcacci, Pier F., *T-MTT 68 Feb 103-109*
- Cram, Milton E., and Demetrius T. Paris; A molecular resonance AFC system for millimeter oscillators. *T-MTT 68 Aug 548-553*
- Cristal, Edward G.; A frequency transformation for commensurate transmission-line networks. *T-MTT 67 Jun 348-357*
- Correction, *T-MTT 68 Jan 45*
- Cristal, Edward G.; Nonsymmetrical coupled lines of reentrant cross section (Corresp.). *T-MTT 67 Sep 529-530*
- Correction, *T-MTT 68 Jan 57*
- Cristal, Edward G.; Data for partially decoupled round rods between parallel ground planes (Corresp.). *T-MTT 68 May 311-314*

## D

- Daly, Daniel A., see Caulton, Martin, *T-MTT 68 Jul 397-404*
- Daly, James C.; The application of Z-transform techniques to the analysis of paraxial ray propagation in beam waveguides. *T-MTT 68 Feb 95-98*
- Das, Dipti, and O. P. Rustogi; Uniform transmission line equivalence of cascaded exponential lines. *T-MTT 68 Aug 511-516*
- DaSilva, J. Borges; Electromagnetic wave propagation in twisted anisotropic media. *T-MTT 68 May 296-302*
- Davies, J. B., see Parsonson, C. G., *T-MTT 68 Apr 256-258*
- Davies, R., see Aitchison, C. S., *T-MTT 68 Jan 46-47*
- Degruij, J. A., S. Okwit, and J. G. Smith; Noise considerations in broad-band traveling-wave masers. *T-MTT 68 Sep 586-595*
- Denson, Colin I., and G. John Halford; Plasma noise sources of improved accuracy. *T-MTT 68 Sep 655-663*
- Desch, R. G., see Adams, J. W., *T-MTT 68 Mar 201-202*
- Domenico, A. J., see Dunn, V. E., *T-MTT 68 Dec 1060-1061*
- Duncan, L. W.; Computation of RF surface resistance using the anomalous skin effect theory (Corresp.). *T-MTT 68 Feb 130-131*
- Dunn, John H., and Dean D. Howard; Radar target amplitude, angle, and Doppler scintillation from analysis of the echo signal propagating in space. *T-MTT 68 Sep 715-728*
- Dunn, V. E., and A. J. Domenico; Recent advances in microstrip circulators (Corresp.). *T-MTT 68 Dec 1060-1061*

## E

- Earle, Michael A., and P. Benedek; Characteristic impedance of dielectric supported strip transmission line (Corresp.). *T-MTT 68 Oct 884-885*
- Elliott, Robert S., see Kopp, Eugene H., *T-MTT 68 Jan 6-11*
- Elliott, Robert S.; Two-mode waveguide for equal mode velocities. *T-MTT 68 May 282-286*
- Emery, F. E., and P. L. Noel; Recent experimental work on silicon microstrip microwave transmission lines (Corresp.). *T-MTT 68 Jul 483-484*
- Also published as J-SC 68 Jun 145-146
- Also published as T-ED 68 Jul 545-546
- Emmons, Stephen P., see Battershall, Barry W., *T-MTT 68 Jul 445-450*
- Engen, Glenn F.; A method of calibrating coaxial noise sources in terms of a waveguide standard. *T-MTT 68 Sep 636-639*
- Engen, Glenn F., see Trembath, C. L., *T-MTT 68 Sep 709-714*
- Enstrom, R. E., see Norton, L. E., *T-MTT 68 Jul 480-481*
- Epstein, Richard, Richard Germann, Jerome Sohn, and Donald Temme; Magnetostriction effects on ferrite material parameters of importance in remanence devices (Corresp.). *T-MTT 68 Jan 54-55*
- Ettenberg, M., see Bates, C., *T-MTT 68 Sep 793-795*

## F

- Fisher, Reed E.; A 1200-megabit per second microwave-carrier gray-code analog-to-digital converter. *T-MTT 68 Aug 541-547*
- Fjallbrant, Tore T.; Non-minimum-phase microwave filters. *T-MTT 68 Dec 990-994*
- Fooks, E. H., see French, G. N., *T-MTT 68 Oct 885-886*
- Foot, W. J., see Trembath, C. L., *T-MTT 68 Sep 709-714*
- Franklin, Sidney B.; Solution of the finite length septum problem with application to periodic mode suppressors. *T-MTT 67 Apr 240-249*
- Comments by John P. Quine, *T-MTT 68 Oct 879-880*
- French, G. N., and E. H. Fooks, *T-MTT 68 Oct 885-886*
- Comments on Hamid, M. A., and M. M. Yunik; On the design of stepped transmission-line transformers (Corresp.). *T-MTT 67 Sep 528-529*

## G

- Gagne, Real R. J.; The paradoxical surface wave (crack wave) in ferrite-filled waveguides. *T-MTT 68 Apr 241-250*
- Galindo, V., see Amitay, N., *T-MTT 68 Apr 265-266*
- Gardioli, Fred E.; Higher-order modes in dielectrically loaded rectangular waveguides. *T-MTT 68 Nov 919-924*

Gelnovatch, V. G., and T. F. Burke; Computer aided design of wide-band integrated microwave transistor amplifiers on high dielectric substrates. *T-MTT 68 Jul 429-439*

Also published as J-SC 68 Jun 91-101

Also published as T-ED 68 Jul 491-501

- Germann, Richard, see Epstein, Richard, *T-MTT 68 Jan 54-55*
- Gillespie, Edmond S., and Jacob J. Gustincic; The scattering of an axial cylindrical surface wave by a perfectly conducting plane annulus. *T-MTT 68 Jun 334-341*
- Gledhill, C. S.; The analysis of lossless transmission-line matching systems in terms of real functions (Corresp.). *T-MTT 68 Jan 49-50*
- Glover, Gary H., see Champlin, Keith S., *T-MTT 68 Feb 90-94*
- Gottfried, A. H., and J. J. Tancredi; On the utility and measurement of voltage probability density of wide-band microwave noise (Corresp.). *T-MTT 68 Sep 795-797*
- Gray, Kenneth W., see Thompson, Edgar J., *T-MTT 68 Nov 938-943*
- Greene, Carl K.; A microstrip nonreciprocal tunable YIG filter (Corresp.). *T-MTT 68 Jul 484-486*
- Also published as J-SC 68 Jun 146-148
- Also published as T-ED 68 Jul 546-548
- Griemsmann, John W. E., see Berger, Henry, *T-MTT 68 Jan 11-16*
- Griemsmann, John W. E., see Berger, Henry, *T-MTT 68 Jan 16-20*
- Griemsmann, John W. E., see Berger, Henry, *T-MTT 68 Oct 842-849*
- Griffin, James R., see Joines, William T., *T-MTT 68 Apr 258-260*
- Guckel, H.; Characteristic impedances of generalized rectangular transmission lines (Corresp.). *T-MTT 65 May 270-274*
- Correction, *T-MTT 68 Aug 555*
- Gunn, M. W., see Sheikh, R. H., *T-MTT 68 Feb 117-121*
- Gustincic, Jacob J., see Gillespie, Edmond S., *T-MTT 68 Jun 334-341*

## H

- Hach, Johann-Peter; A very sensitive airborne microwave radiometer using two reference temperatures. *T-MTT 68 Sep 629-636*
- Haddad, George I., see Krage, Mark K., *T-MTT 68 May 302-307*
- Haden, C. R., see Shockley, T. D., *T-MTT 68 Aug 562-564*
- Hahn, Harald, and Henry J. Halama; Perturbation measurement of transverse R/Q in iris-loaded waveguides. *T-MTT 68 Jan 20-29*
- Hair, Hugh A., see Roome, Gerard T., *T-MTT 68 Jul 411-420*
- Halama, Henry J., see Hahn, Harald, *T-MTT 68 Jan 20-29*
- Halford, G. John, see Denson, Colin I., *T-MTT 68 Sep 655-663*
- Hall, James A., see Peppiatt, Harry J., *T-MTT 68 Sep 748-752*
- Hamid, M. A., and M. M. Yunik; On the design of stepped transmission-line transformers (Corresp.). *T-MTT 67 Sep 528-529*
- Comments by G. N. French and E. H. Fooks, *T-MTT 68 Oct 885-886*
- Hamid, M. A., see Robinson, J. E., *T-MTT 68 Apr 261*
- Hardy, Walter N., see Thompson, Edgar J., *T-MTT 68 Nov 938-943*
- Harkless, E. T.; Avalanche diode application to microwave receivers (Corresp.). *T-MTT 68 Aug 564-565*
- Haroules, George G., and Wilfred E. Brown, III; Radiometric measurement of attenuation and emission by the Earth's atmosphere at wavelengths from 4 cm to 8 mm. *T-MTT 68 Sep 611-620*
- Harris, Jay H., see Shubert, Richard, *T-MTT 68 Dec 1048-1054*
- Harrison, William H.; A miniature high- $Q$  bandpass filter employing dielectric resonators. *T-MTT 68 Apr 210-218*
- Hartwig, Curtis P., see Pucel, Robert A., *T-MTT 68 Jun 342-350*
- Hegy, I. J., see Norton, L. E., *T-MTT 68 Jul 480-481*
- Hershberger, W. D., see Kuno, Hiromu J., *T-MTT 67 Dec 661-668*
- Higa, Walter, see Levy, Gerald S., *T-MTT 68 Sep 596-602*
- Hindin, Harvey J.; Standing-wave ratio of binary TEM power dividers (Corresp.). *T-MTT 68 Feb 123-125*
- Hindin, Harvey J., and Allen Rosenzweig; 3-dB couplers constructed from two tandem connected 8.34-dB asymmetric couplers (Corresp.). *T-MTT 68 Feb 125-126*
- Hindin, Harvey J.; Input VSWR and output isolation of lossy  $N$ -way hybrid power dividers (Corresp.). *T-MTT 68 Mar 199-201*
- Hindin, Harvey J.; Insertion loss versus normalized frequency curves for Mumford's maximally flat filter (Corresp.). *T-MTT 68 May 316-318*
- Hindin, Harvey J.; Scattering parameters of binary power dividers. *T-MTT 68 Aug 568-569*
- Hines, M. E., Jean-Claude Collinet, and John G. Ondria; FM noise suppression of an injection phase-locked oscillator. *T-MTT 68 Sep 738-742*
- Hirano, Kotaro, and Seiichi Kanema; Matrix representations of noise figures and noise figure charts in terms of power wave variables. *T-MTT 68 Sep 692-699*
- Hoffman, G. R., and A. A. Willem; An improved method for measuring scattering parameters of nonreciprocal two-ports (Corresp.). *T-MTT 67 Feb 131-133*
- Comments by Helmut M. Altschuler, and authors' reply, *T-MTT 68 Apr 261-262*
- Hoffman, W. F., see Opp, Francis L., *T-MTT 68 Jul 462-468*
- Hollway, D. L., see Somlo, P. I., *T-MTT 68 Sep 664-669*
- Holm, John D., see Champlin, Keith S., *T-MTT 68 Feb 90-94*
- Holt, E. H., see Quine, John P., *T-MTT 68 Nov 952-955*
- Hord, William E., and Fred J. Rosenbaum; Approximation technique for dielectric loaded waveguides. *T-MTT 68 Apr 228-233*
- Hord, William E., Fred J. Rosenbaum, and C. R. Boyd, Jr.; Theory of the suppressed-rotation reciprocal ferrite phase shifter. *T-MTT 68 Nov 902-910*
- Hord, William E., and Fred J. Rosenbaum; Propagation in a longitudinally magnetized ferrite-filled square waveguide (Corresp.). *T-MTT 68 Nov 967-969*
- Horton, J. B., and G. A. Burdick; Measurement of dielectric constant and loss tangent in materials having large dielectric constants (Corresp.). *T-MTT 68 Oct 873-875*
- Horton, M. C., and Robert J. Wenzel; The effectiveness of component elements in commensurate line-length filters (Corresp.). *T-MTT 68 Aug 555-557*
- Howard, Dean D., see Dunn, John H., *T-MTT 68 Sep 715-728*

## J

- James, Allan V.; A high-accuracy microwave phase standard for use in primary calibration laboratories. *T-MTT 68 Nov 944-949*
- Johnson, H., see Presser, A., *T-MTT 68 Jul 482-483*
- Johnson, Kenneth M.; X-band integrated circuit mixer with reactively terminated



- image. *T-MTT 68 Jul 388-397*  
 Also published as *J-SC 68 Jun 50-59*  
 Also published as *T-ED 68 Jul 450-459*  
**Johnson, Kenneth M.**; A high-performance integrated microwave circuit frequency quadrupler. *T-MTT 68 Jul 420-424*  
 Also published as *J-SC 68 Jun 82-86*  
 Also published as *T-ED 68 Jul 482-486*  
**Johnson, Walter A.**; Performance of a 3.3-mm radiometer. *T-MTT 68 Sep 621-625*  
**Joines, William T.**, and **James R. Griffin**; On using the  $Q$  of transmission lines (Corresp.). *T-MTT 68 Apr 258-260*  
**Jones, S.**, see **Mao, S.**, *T-MTT 68 Jul 455-461*  
**Jones, William R.**, see **Campbell, James J.**, *T-MTT 68 Aug 517-529*  
**Josenhans, J. G.**; A liquid helium cooled 4-GHz broad-band parametric amplifier (Corresp.). *T-MTT 68 Sep 791-793*  
**Jun-ichi Nishizawa**, see **Nishizawa, Jun-ichi**

## K

- Kalinski, Jerzy**; A new principle for automatic compensation of unwanted signal level fluctuation in measuring setups which include a microwave generator and detector (Corresp.). *T-MTT 68 Nov 963-965*  
**Kammler, David W.**; Calculation of characteristic admittances and coupling coefficients for strip transmission lines. *T-MTT 68 Nov 925-937*  
**Kanema, Seiichi**, see **Hirano, Kotaro**, *T-MTT 68 Sep 692-699*  
**Karp, Arthur**, **Herbert J. Shaw**, and **Donald K. Winslow**; Circuit properties of microwave dielectric resonators. *T-MTT 68 Oct 818-828*  
**Kawakami, Shojiro**, and **Jun-ichi Nishizawa**; An optical waveguide with the optimum distribution of the refractive index with reference to waveform distortion. *T-MTT 68 Oct 814-818*  
**Keister, Frank Z.**; An evaluation of materials and processes for integrated microwave circuits. *T-MTT 68 Jul 469-475*  
 Also published as *J-SC 68 Jun 131-137*  
 Also published as *T-ED 68 Jul 531-537*  
**Kelley, Douglas**, **Arnold G. Kramer**, and **Francis G. Willwerth**; Microstrip filters and couplers (Corresp.). *T-MTT 68 Aug 560-562*  
**Kelly, Alexander J.**; The negative capacitor, an impedance matching element for dielectric-filled transmission-line (Corresp.). *T-MTT 67 Oct 583-584*  
 Extension. *T-MTT 68 Jun 374*  
**Kenney, James M.**; The simultaneous measurement of gain and noise using only noise generators. *T-MTT 68 Sep 603-607*  
**Knerr, R. H.**; A new type of waveguide-to-stripline transition (Corresp.). *T-MTT 68 Mar 192-194*  
**Knight, Stanley P.**, see **Caulton, Martin**, *T-MTT 68 Jul 397-404*  
**Kollberg, E.**, see **Rydbeck, O. E. H.**, *T-MTT 68 Sep 799-803*  
**Kong, Jin A.**, and **David K. Cheng**; On guided waves in moving anisotropic media. *T-MTT 68 Feb 99-103*  
**Kopp, Eugene H.**, and **Robert S. Elliott**; Coupling between dissimilar waveguides. *T-MTT 68 Jan 6-11*  
**Krage, Mark K.**, and **George I. Haddad**; The characteristic impedance and coupling coefficient of coupled rectangular strips in a waveguide. *T-MTT 68 May 302-307*  
**Kramer, Arnold G.**, see **Kelley, Douglas**, *T-MTT 68 Aug 560-562*  
**Kuenzi, Klaus**, and **Erwin Schanda**; A microwave scanning radiometer (Corresp.). *T-MTT 68 Sep 789-791*  
**Kuno, Hiromu J.**, and **W. D. Herschberger**; Microwave Faraday effect and propagation in a circular solid-state plasma waveguide. *T-MTT 67 Dec 661-668*  
 Correction. *T-MTT 68 Oct 895*  
**Kurokawa, Kaneyuki**; Noise in synchronized oscillators. *T-MTT 68 Apr 234-240*  
**Kurzrok, R. M.**; Isolation of lossy transmission line hybrid circuits (Corresp.). *T-MTT 67 Feb 127-128*  
 Comments by **Gerald F. Ross**, *T-MTT 68 Jan 53-54*  
**Kurzrok, R. M.**; Frequency behavior of post-coupled TEM comb-line resonators (Corresp.). *T-MTT 68 Oct 888-889*

## L

- Lacklison, D. E.**, and **M. F. Lewis**; Parametric amplification of magnetoelastic waves at room temperature (Corresp.). *T-MTT 68 Nov 951-952*  
**Lange, J.**; Oscillator noise cancellation in hybrid mixers (Corresp.). *T-MTT 68 Jun 368-369*  
**LaRussa, F. J.**, see **Mailloux, R. J.**, *T-MTT 68 Feb 129-130*  
**Lee, Tien Pei**, and **Charles A. Burrus**; A millimeter-wave quadrupler and an up-converter using planar-diffused gallium arsenide varactor diodes. *T-MTT 68 May 287-296*  
**Leedom, David A.**, see **Matthaei, George L.**, *T-MTT 68 Dec 1038-1047*  
**Levy, Gerald S.**, **Dan A. Bathker**, **Walter Higa**, and **Charles T. Stelzried**; The ultra cone: An ultra-low-noise space communication ground radio-frequency system. *T-MTT 68 Sep 596-602*  
**Levy, Ralph**; Theory of direct-coupled-cavity filters (Corresp.). *T-MTT 67 Jun 340-348*  
 Extension by author and **Henry J. Riblet**, *T-MTT 68 Aug 567-568*  
**Levy, Ralph**, and **Larry F. Lind**; Synthesis of symmetrical branch-guide directional couplers. *T-MTT 68 Feb 80-89*  
**Levy, Ralph**, and **Tullio E. Rozzi**; Precise design of coaxial low-pass filters. *T-MTT 68 Mar 142-147*  
**Levy, Ralph**; Analysis and synthesis of waveguide multiaperature directional couplers. *T-MTT 68 Dec 995-1006*  
**Lewis, C. E.**, see **Shockley, T. D.**, *T-MTT 68 Aug 562-564*  
**Lewis, M. F.**, see **Lacklison, D. E.**, *T-MTT 68 Nov 951-952*  
**Liebe, Hans J.**; Amplification at 258 GHz using a saturated gas resonance. *T-MTT 68 Oct 860-865*  
**Lind, Larry F.**, see **Levy, Ralph**, *T-MTT 68 Feb 80-89*  
**Little, W. E.**, see **Patty, O. L.**, *T-MTT 68 Feb 121-123*  
**Longley S. R.**, see **Parsonson, C. G.**, *T-MTT 68 Apr 256-258*

## M

- Magarshack, J.**; Gunn oscillator as a frequency memory device (Corresp.). *T-MTT 68 Dec 1055-1057*  
**Mailloux, R. J.**, and **F. J. LaRussa**; A microwave phase bridge technique for measuring the mutual coupling of identical coupled antennas (Corresp.). *T-*

- MTT 68 Feb 129-130*  
**Majborn, B.**, see **Andersen, J. Bach**, *T-MTT 68 Mar 194-196*  
**Makimoto, Toshio**, see **Nishimura, Sadahiko**, *T-MTT 68 Oct 891-893*  
**Mao, S.**, **S. Jones**, and **George D. Vendelin**; Millimeter-wave integrated circuits. *T-MTT 68 Jul 455-461*  
 Also published as *J-SC 68 Jun 117-123*  
 Also published as *T-ED 68 Jul 517-523*  
**March, Steven**; A wideband stripline hybrid ring (Corresp.). *T-MTT 68 Jun 361*  
**Mariani, Elio A.**; A UHF, bandpass filter using orthogonally coupled resonators (Corresp.). *T-MTT 68 Nov 966-967*  
**Markowski, J.**; The effect of parasitic elements on potential stability criteria for tunnel diode (Corresp.). *T-MTT 68 Jun 374*  
**Masse, Daniel J.**, see **Pucel, Robert A.**, *T-MTT 68 Jun 342-350*  
**Matthaei, George L.**, and **David A. Leedom**; Low-pass quasi-optical filters for oversized or focused-beam waveguide applications. *T-MTT 68 Dec 1038-1047*  
**May, W. G.**, and **B. R. McLeod**; A waveguide isolator using InSb (Corresp.). *T-MTT 68 Oct 877-878*  
**McDaniel, A. V., Jr.**, see **Peppiatt, Harry J.**, *T-MTT 68 Sep 748-752*  
**McDiarmid, Don R.**, and **George B. Walker**; Two examples of "confluence" in periodic slow wave structures. *T-MTT 68 Jan 2-6*  
**McDiarmid, Don R.**; Mode separation and group velocity at the  $n\pi$ -modes of a dielectrically loaded slow wave structure (Corresp.). *T-MTT 68 May 318-319*  
**McGowan, Joseph W.**, see **Wright, William H., Jr.**, *T-MTT 68 Aug 557-559*  
**McIntosh, R. C.**; Harmonic generation inside a plasma column at resonance (Corresp.). *T-MTT 68 Nov 950-951*  
**McLeod, B. R.**, see **May, W. G.**, *T-MTT 68 Oct 877-878*  
**Mehal, Edward W.**, and **Robert W. Wacker**; GaAs integrated microwave circuits. *T-MTT 68 Jul 451-454*  
 Also published as *J-SC 68 Jun 113-116*  
 Also published as *T-ED 68 Jul 513-516*  
**Meier, Paul J.**; Latching, reciprocal polarization-insensitive phase shifter (Corresp.). *T-MTT 68 Nov 958-959*  
**Mittra, Raj**, see **Yamashita, Eikichi**, *T-MTT 68 Apr 251-256*  
**Morita, Nagayoshi**, and **Yoshiro Nakanishi**; Circumferential gap in TE<sub>01</sub>-mode-transmitting multimode circular waveguide. *T-MTT 68 Mar 183-189*  
**Morris, J. E.**; A 3-dB directional coupler for microwave integrated circuits (Corresp.). *T-MTT 68 Jul 476-477*  
 Also published as *J-SC 68 Jun 138-139*  
 Also published as *T-ED 68 Jul 538-539*  
**Mortenson, Kenneth E.**, see **White, Joseph F.**, *T-MTT 68 Jan 30-36*  
**Mouw, Robert B.**; A broad-band hybrid junction and application to the star modulator. *T-MTT 68 Nov 911-918*  
**Muehe, C. E.**; A high-power waveguide tuner (Corresp.). *T-MTT 68 Oct 882-883*  
**Mueller, Ralph S.**, and **Fred J. Rosenbaum**; Propagation in ferrite-filled coaxial transmission lines. *T-MTT 68 Oct 835-842*  
**Mukaihata, Tadao**; Applications and analysis of noise generation in  $N$ -cascaded mismatched two-port networks. *T-MTT 68 Sep 699-708*

## N

- Nakanishi, Yoshiro**, see **Morita, Nagayoshi**, *T-MTT 68 Mar 183-189*  
**Nakanishi, Yoshiro**, see **Yamasaki, T.**, *T-MTT 68 Jun 373-374*  
**Nathan, Amos**, and **Dan Censor**; Extended  $\nabla$  relations with reference to EM waves in moving simple media (Corresp.). *T-MTT 68 Oct 883-884*  
**Nemoto, Toshio**, see **Wait, David F.**, *T-MTT 68 Sep 670-675*  
**Nemoto, Toshio**, and **David F. Wait**; Microwave circuit analysis using the equivalent generator concept. *T-MTT 68 Oct 866-873*  
**Nishimura, Sadahiko**, and **Toshio Makimoto**; Improvement of frequency characteristics of preselector using a hybrid circuit (Corresp.). *T-MTT 68 Oct 891-893*  
**Nishizawa, Jun-ichi**, see **Kawakami, Shojiro**, *T-MTT 68 Oct 814-818*  
**Noel, P. L.**, see **Emery, F. E.**, *T-MTT 68 Jul 483-484*  
**Norton, L. E.**, **R. E. Enstrom**, and **I. J. Hegyi**; High-power 1-GHz coplanar Gunn-effect oscillators (Corresp.). *T-MTT 68 Jul 480-481*  
 Also published as *J-SC 68 Jun 142-143*  
 Also published as *T-ED 68 Jul 542-543*

## O

- Okean, H. C.**, and **H. Weingart**; S-band integrated parametric amplifier having both flat-gain and linear phase response (Corresp.). *T-MTT 68 Dec 1057-1059*  
**Okwit, S.**, see **Degruij, J. A.**, *T-MTT 68 Sep 586-595*  
**Olson, Keith W.**; Measured noise temperature versus theoretical electron temperature for gas discharge noise sources. *T-MTT 68 Sep 640-645*  
**Olson, Keith W.**; Band transition noise measurements of gas discharge noise sources (Corresp.). *T-MTT 68 Sep 797*  
**Ondria, John G.**, see **Hines, M. E.**, *T-MTT 68 Sep 738-742*  
**Ondria, John G.**; A microwave system for measurements of AM and FM noise spectra. *T-MTT 68 Sep 767-781*  
**Opp, Francis L.**, and **W. F. Hoffman**; Design of digital loaded-line phase-shift networks for microwave thin-film applications. *T-MTT 68 Jul 462-468*  
 Also published as *J-SC 68 Jun 124-130*  
 Also published as *T-ED 68 Jul 524-530*  
**Otoshi, Tom Y.**; The effect of mismatched components on microwave noise-temperature calibrations. *T-MTT 68 Sep 675-686*

## P

- Palka, Frank M.**, see **Ashley, J. Robert**, *T-MTT 68 Sep 753-760*  
**Pan, Wen Y.**, see **Bura, P.**, *T-MTT 68 Jul 424-428*  
**Paris, Demetrius T.**, see **Cram, Milton E.**, *T-MTT 68 Aug 548-553*  
**Parsonson, C. G.**, **Longley S. R.**, and **J. B. Davies**; The theoretical design of broadband 3-port waveguide circulators (Corresp.). *T-MTT 68 Apr 256-258*  
**Patrin, Nicholas A.**, see **Champlin, Keith S.**, *T-MTT 68 Feb 90-94*  
**Patty, O. L.**, **W. E. Little**, and **M. H. Zaanboorie**; Waveguide connector measurements with a millimeter-wave reflectometer (Corresp.). *T-MTT 68 Feb 121-123*  
**Payne, C. D.**, see **Aitchison, C. S.**, *T-MTT 68 Jan 46-47*  
**Pei Lee, Tien**, see **Lee, Tien Pei**  
**Penzias, Arno A.**; Measurement of cosmic microwave background radiation. *T-MTT 68 Sep 608-611*  
**Peppiatt, Harry J.**, **James A. Hall**, and **A. V. McDaniel, Jr.**; A low-noise class-C



- oscillator using a directional coupler. *T-MTT 68 Sep 748-752*
- Petty, S. M., and R. C. Clauss; X-band traveling wave maser (Corresp.). *T-MTT 68 Jan 47-48*
- Peyton, B. J., F. R. Arams, W. Wade, and T. Collins; Bulk and deposited ferrite isolators for millimeter maser application (Corresp.). *T-MTT 68 May 319-320*
- Polson, J. H., see Bongiovanni, W. L., *T-MTT 68 Dec 1061-1064*
- Porra, V., and P. Somervuo; Broadband matching of a parametric amplifier by using Fano's method (Corresp.). *T-MTT 68 Oct 880-882*
- Presser, A., E. Belohoubek, and H. Johnson; Hybrid integrated L-band transmitter (Corresp.). *T-MTT 68 Jul 482-483*  
Also published as *J-SC 68 Jun 144-145*  
Also published as *T-ED 68 Jul 544-545*
- Pucel, Robert A., Daniel J. Masse, and Curtis P. Hartwig; Losses in microstrip. *T-MTT 68 Jun 342-350*  
Correction, *T-MTT 68 Dec 1064*

## Q

- Quine, John P.; On the use of finite-length metal septa for suppression of higher order modes (Corresp.). *T-MTT 68 Oct 879-880*  
Comments on Franklin, Sidney B.; Solution of the finite length septum problem with application to periodic mode suppressors. *T-MTT 67 Apr 240-249*
- Quine, John P., C. Younger, L. Tonks, and E. H. Holt; A spark-gap switch for oversize rectangular waveguides (Corresp.). *T-MTT 68 Nov 952-955*

## R

- Reuss, M. L., Jr.; A nonreciprocal circular polarizer. *T-MTT 67 Jan 37-41*  
Extension, *T-MTT 68 Feb 136*
- Rhodes, J. David, see Scanlan, Sean O., *T-MTT 68 Feb 62-72*
- Rhodes, J. David, see Scanlan, Sean O., *T-MTT 68 Feb 72-79*
- Riblet, Henry J.; A general design procedure for quarter-wavelength inhomogeneous impedance transformers having approximately equal-ripple performance. *T-MTT 65 Sep 622-629*  
Comments by Leo Young, *T-MTT 68 Nov 975-976*
- Riblet, Henry J.; An explicit derivation of the relationships between the parameters of an interdigital structure and the equivalent transmission-line cascade. *T-MTT 67 Mar 161-166*  
Correction, *T-MTT 68 Jan 55*
- Riblet, Henry J., *T-MTT 68 Aug 567-568*  
Extension, with author, of Levy, Ralph; Theory of direct-coupled-cavity filters (Corresp.). *T-MTT 67 Jun 340-348*
- Ricardi, L. J.; The insertion loss of transmission lines used in matching networks (Corresp.). *T-MTT 68 Mar 189-191*
- Richardson, J. K.; Gap spacing for narrow-bandwidth end-coupled symmetric stripline filters (Corresp.). *T-MTT 68 Aug 559-560*
- Robinson, J. E., and M. A. Hamid; Mode propagation in multilayered dielectric loaded waveguides by ray theory (Corresp.). *T-MTT 68 Apr 261*
- Rode, D. L.; Concentric spherical resonator eigenfrequencies (Corresp.). *T-MTT 68 Jun 369-372*
- Roome, Gerard T., and Hugh A. Hair; Thin ferrite devices for microwave integrated circuits. *T-MTT 68 Jul 411-420*  
Also published as *J-SC 68 Jun 73-82*  
Also published as *T-ED 68 Jul 473-482*
- Rosenbaum, Fred J., see Hord, William E., *T-MTT 68 Apr 228-233*
- Rosenbaum, Fred J., see Mueller, Ralph S., *T-MTT 68 Oct 835-842*
- Rosenbaum, Fred J., see Hord, William E., *T-MTT 68 Nov 902-910*
- Rosenbaum, Fred J., see Hord, William E., *T-MTT 68 Nov 967-969*
- Rosenzweig, Allen, see Hindin, Harvey J., *T-MTT 68 Feb 125-126*
- Ross, Gerald F.; Comments on calculating isolation in lossy TEM mode couplers (Corresp.). *T-MTT 68 Jan 53-54*  
Comments on Kurzrok, R. M.; Isolation of lossy transmission line hybrid circuits (Corresp.). *T-MTT 67 Feb 127-128*
- Rozzi, Tullio E., see Levy, Ralph, *T-MTT 68 Mar 142-147*
- Rueggeberg, Werner; The complex permittivity of some cork composition materials from 10 to 10 000 MHz (Corresp.). *T-MTT 68 Jan 55-57*
- Russo, A. J., see Zelby, L. W., *T-MTT 68 Aug 566-567*
- Rustogi, O. P., see Das, Dipti, *T-MTT 68 Aug 511-516*
- Rydeck, O. E. H., and E. Kollberg; Rutile traveling-wave maser system for the Onsala 84-foot radio telescope (Corresp.). *T-MTT 68 Sep 799-803*

## S

- Sann, Klaus H.; The measurement of near-carrier noise in microwave amplifiers. *T-MTT 68 Sep 761-766*
- Sard, Eugene W.; A new procedure of calculating varactor  $Q$  from impedance versus bias measurements. *T-MTT 68 Oct 849-860*
- Scanlan, Sean O., and J. David Rhodes; Microwave allpass networks—Part I. *T-MTT 68 Feb 62-72*
- Scanlan, Sean O., and J. David Rhodes; Microwave allpass networks—Part II. *T-MTT 68 Feb 72-79*
- Schanda, Erwin, see Kuenzi, Klaus, *T-MTT 68 Sep 789-791*
- Scheggi, Annamaria, see Checacci, Pier F., *T-MTT 68 Feb 103-109*
- Scherer, Ernst; Investigations of the noise spectra of avalanche oscillators. *T-MTT 68 Sep 781-788*
- Schiffman, Bernard M., and Leo Young; Birefringent filter for millimeter waves. *T-MTT 68 Jun 351-360*
- Schilling, William A., see Siekanowicz, W. W., *T-MTT 68 Mar 177-183*
- Schlosser, Wolfgang O.; Noise in mutually synchronized oscillators. *T-MTT 68 Sep 732-737*
- Schott, F. W., and T. F. Tao; On the classification of electromagnetic waves in ferrite rods (Corresp.). *T-MTT 68 Nov 959-961*
- Schwartz, Eduard; Broadband matching of resonant circuits and circulators. *T-MTT 68 Mar 158-165*  
Correction, *T-MTT 68 Oct 894*
- Searles, Clifford B., see Ashley, J. Robert, *T-MTT 68 Sep 743-748*
- Searles, Clifford B., see Ashley, J. Robert, *T-MTT 68 Sep 753-760*
- Seckelmann, Robert; Propagation of TE modes in dielectric loaded waveguides—Part II: Numerical results (Corresp.). *T-MTT 68 Jun 362-368*
- Seidel, B. L., and Charles T. Stelzried; A radiometric method for measuring the insertion loss of radome materials. *T-MTT 68 Sep 625-628*
- Senitzky, Benjamin; Noise in the presence of strong signals. *T-MTT 68 Sep 728-*

## 732

- Seivora, Rudolf; Equivalent circuit for parallel conductor array (Corresp.). *T-MTT 68 Oct 875-877*
- Shaw, Herbert J., see Karp, Arthur, *T-MTT 68 Oct 818-828*
- Sheikh, R. H., and M. W. Gunn; Wave propagation in a rectangular waveguide inhomogeneously filled with semiconductors (Corresp.). *T-MTT 68 Feb 117-121*
- Shipley, C. A.; Effect of "ring resonance" in circulator time-delay circuit (Corresp.). *T-MTT 68 Mar 202-203*
- Shockley, T. D., C. R. Haden, and C. E. Lewis; Application of the point-matching method in determining the reflection and transmission coefficients in linearly tapered waveguides (Corresp.). *T-MTT 68 Aug 562-564*
- Shubert, Richard, and Jay H. Harris; Optical surface waves on thin films and their application to integrated data processors. *T-MTT 68 Dec 1048-1054*
- Siekanowicz, W. W., and William A. Schilling; A new type of latching switchable ferrite junction circulator. *T-MTT 68 Mar 177-183*
- Silber, L. M., see Christopher, A., *T-MTT 68 May 315-316*
- Silberberg, Robert W., see Thompson, Edgar J., *T-MTT 68 Nov 938-943*
- Sinnott, D. H.; Applications of the numerical solution to Laplace's equation in three dimensions (Corresp.). *T-MTT 68 Feb 135-136*
- Sinnott, D. H.; Upper and lower bounds on the characteristic impedance of TEM-mode transmission lines with curved boundaries (Corresp.). *T-MTT 68 Nov 971-972*
- Smith, J. G., see Degruyl, J. A., *T-MTT 68 Sep 586-595*
- Snyder, Richard V.; A new microwave low-pass structure (Corresp.). *T-MTT 68 Apr 262-264*
- Sohn, Jerome, see Epstein, Richard, *T-MTT 68 Jan 54-55*
- Somervuo, P., see Porra, V., *T-MTT 68 Oct 880-882*
- Somlo, P. I., and D. L. Hollway; The Australian National Standards Laboratory X-band radiometer for the calibration of noise sources. *T-MTT 68 Sep 664-669*
- Standley, R. D.; Millimeter wavelength diplexing filters utilizing circular TE<sub>011</sub> mode resonators (Corresp.). *T-MTT 68 Jan 50-51*
- Steele, Charles W.; A nonresonant perturbation theory. *T-MTT 66 Feb 70-74*  
Extension, *T-MTT 68 Nov 973-974*
- Steenaaert, Willem; A note on the synthesis of coupled-line directional couplers and all-pass networks (Corresp.). *T-MTT 68 Aug 554-555*
- Stelzried, Charles T., see Levy, Gerald S., *T-MTT 68 Sep 596-602*
- Stelzried, Charles T., see Seidel, B. L., *T-MTT 68 Sep 625-628*
- Stelzried, Charles T.; Microwave thermal noise standards. *T-MTT 68 Sep 646-655*
- Stern, Richard A., and John P. Agrios; A 500 kW X-band air-cooled ferrite latching switch. *T-MTT 68 Dec 1034-1037*
- Stinehelfer, Harold E., Sr.; An accurate calculation of uniform microstrip transmission lines. *T-MTT 68 Jul 439-444*  
Also published as *J-SC 68 Jun 101-106*  
Also published as *T-ED 68 Jul 501-506*
- Stinehelfer, Harold E., Sr., see Atwood, W., *T-MTT 68 Jul 477-480*
- Strutt, M. J. O., see Baechold, W., *T-MTT 68 Sep 578-585*
- Stutzman, Warren L.; Plane dielectric-coated conductor surface waveguide corners (Corresp.). *T-MTT 68 Jan 52-53*
- Sugimoto, Shigetoki; Ultrahigh-speed diode switch for 50 GHz band utilizing avalanche breakdown in varactor diodes. *T-MTT 68 Dec 1017-1021*

## T

- Taft, Donald R., see Allen, J. Lamar, *T-MTT 68 Jul 405-411*
- Tancredi, J. J., see Gottfried, A. H., *T-MTT 68 Sep 795-797*
- Tang, Charles C. H.; Forward and backward scattered modes in multimode nonuniform transitions. *T-MTT 68 Aug 494-502*
- Tao, T. F., see Schott, F. W., *T-MTT 68 Nov 959-961*
- Taub, Jesse J.; The minimum volume of an equal-element bandpass filter (Corresp.). *T-MTT 68 Apr 264-265*
- Temme, Donald, see Epstein, Richard, *T-MTT 68 Jan 54-55*
- Thomas, J. H.; AM/PM noise conversion in a microwave signal source (Corresp.). *T-MTT 68 Sep 797-799*
- Thompson, Edgar J., Robert W. Silberberg, Kenneth W. Gray, and Walter N. Hardy; The microwave reflective properties of water surfaces—I. The reflectivity of smooth water at 19.24 and 22.43 GHz as measured with a free-wave microwave reflectometer. *T-MTT 68 Nov 938-943*
- Toda, Minoru; Voltage induction method for microwave susceptibility measurements. *T-MTT 68 Oct 828-835*
- Tomiyasu, K.; Mode conversion in short conical and asymmetrical-rectangular waveguide tapers (Corresp.). *T-MTT 68 Mar 197-199*
- Tonks, L., see Quine, John P., *T-MTT 68 Nov 952-955*
- Trembath, C. L., David F. Wait, Glenn F. Engen, and W. J. Foote; A low-temperature microwave noise standard. *T-MTT 68 Sep 709-714*
- Tresselt, C. P.; Broadband tapered-line phase shift networks (Corresp.). *T-MTT 68 Jan 51-52*
- Tsoudoulas, G. N.; The effect of surface impedance variation on surface wave propagation along a rod waveguide (Corresp.). *T-MTT 68 Oct 886-888*

## V

- Valdoni, F., see Bernardi, P., *T-MTT 68 Feb 126-127*
- van der Ziel, A.; Noise in double-injection space-charge-limited solid-state diodes (Corresp.). *T-MTT 68 May 308*
- van de Vaart, H.; A dispersionless variable microwave delay line (Corresp.). *T-MTT 68 Nov 965-966*
- van Iperen, B. B.; Impedance relations in a diode waveguide mount (Corresp.). *T-MTT 68 Nov 961-963*
- Vendelin, George D., see Mao, S., *T-MTT 68 Jul 455-461*
- Vernon, R. J.; Note on reflectometer for measuring the magneto-microwave Kerr effect in semiconductors (Corresp.). *T-MTT 68 Apr 262*

## W

- Wacker, Robert W., see Mehal, Edward W., *T-MTT 68 Jul 451-454*
- Wade, W., see Peyton, B. J., *T-MTT 68 May 319-320*
- Wait, David F., and Toshio Nemoto; Measurement of the noise temperature of a mismatched noise source. *T-MTT 68 Sep 670-675*
- Wait, David F.; Thermal noise from a passive linear multiport. *T-MTT 68 Sep 687-691*



- Wait, David F., *see* Trembatll, C. L., *T-MTT* 68 Sep 709-714
- Wait, David F., *see* Nemoto, Toshio, *T-MTT* 68 Oct 866-873
- Waldron, R. A.; Errors due to the uncertainty principle in swept-frequency cavity measurements of properties of materials (Corresp.). *T-MTT* 68 May 314-315
- Walker, George B., *see* McDiarmid, Don R., *T-MTT* 68 Jan 2-6
- Walker, Scott; Broadband stripline balun using quadrature couplers (Corresp.). *T-MTT* 68 Feb 132-133
- Webster, William M.; Integrated microwave modules—a prospectus. *T-MTT* 68 Jul 384-388
- Also published as *J-SC* 68 Jun 46-50
- Also published as *T-ED* 68 Jul 446-450
- Weingart, H., *see* Okean, H. C., *T-MTT* 68 Dec 1057-1059
- Weiss, Jerald A., *see* Bryant, Thomas G., *T-MTT* 68 Dec 1021-1027
- Wenzel, Robert J.; Wideband high-selectivity diplexers utilizing digital elliptic filters. *T-MTT* 67 Dec 669-680
- Correction. *T-MTT* 68 Oct 895
- Wenzel, Robert J.; Printed-circuit complementary filters for narrow bandwidth multiplexers. *T-MTT* 68 Mar 147-157
- Wenzel, Robert J.; Some general properties of commensurate-linlength complementary and pseudo-complementary microwave filters (Corresp.). *T-MTT* 68 Mar 191-192
- Wenzel, Robert J., *see* Horton, M. C., *T-MTT* 68 Aug 555-557
- Wexler, Alvin, *see* Beaubien, Marcel J., *T-MTT* 68 Dec 1007-1017
- White, Joseph F., *see* Kenneth E. Mortenson; Diode SPDT switching at high power with octave microwave bandwidth. *T-MTT* 68 Jan 30-36
- Whiting, K. B.; A treatment for boundary singularities in finite difference solutions of Laplace's equation (Corresp.). *T-MTT* 68 Oct 889-891
- Willem, A. A., *see* Hoffman, G. R., *T-MTT* 67 Feb 131-133
- Wilverth, Francis G., *see* Kelley, Douglas, *T-MTT* 68 Aug 560-562
- Winslow, Donald K., *see* Karp, Arthur, *T-MTT* 68 Oct 818-828
- Wright, William H., Jr., *see* Joseph W. McGowan; High-power Y-junction E-plane circulator. *T-MTT* 68 Aug 557-559

## Y

- Yamasaki, T., and Yoshiro Nakanishi; Design consideration for circular bend of reflecting beam waveguide (Corresp.). *T-MTT* 68 Jun 373-374
- Yamashita, Eikichi, and Raj Mittra; Variational method for the analysis of microstrip lines. *T-MTT* 68 Apr 251-256
- Yamashita, Eikichi; Variational method for the analysis of microstrip-like transmission lines. *T-MTT* 68 Aug 529-535
- Yamashita, Eikichi, and Shigeo Yamazaki; Parallel-strip line embedded in or printed on a dielectric sheet. *T-MTT* 68 Nov 972-973
- Yamazaki, Shigeo, *see* Yamashita, Eikichi, *T-MTT* 68 Nov 972-973
- Young, Leo, *see* Schiffman, Bernard M., *T-MTT* 68 Jun 351-360
- Young, Leo. *T-MTT* 68 Nov 975-976
- Comments on Riblet, Henry J.; A general design procedure for quarter-wavelength inhomogeneous impedance transformers having approximately equal-ripple performance. *T-MTT* 65 Sep 622-629
- Younger, C., *see* Quine, John P., *T-MTT* 68 Nov 952-955
- Yuan, Shui, *see* Bura, P., *T-MTT* 68 Jul 424-428
- Yunik, M. M., *see* Hamid, M. A., *T-MTT* 67 Sep 528-529

## Z

- Zanboorie, M. H., *see* Patty, O. L., *T-MTT* 68 Feb 121-123
- Zelby, L. W., A. J. Russo, and S. G. Beard; The exponential horn as a uniform waveguide with a variable index of refraction (Corresp.). *T-MTT* 68 Aug 566-567

## SUBJECT INDEX

## A

- Additive noise; microwave power amplifiers under pulsed and CW condition; measurement techniques. *Sann, Klaus H.*, *T-MTT* 68 Sep 761-766
- AFC; cf. Automatic frequency control
- Airborne X-band radiometers; two reference temperatures; performance analysis and experimental results. *Hach, Johann-Peter*, *T-MTT* 68 Sep 629-636
- Algorithms; finite-difference method using successive overrelaxation for higher-order waveguide mode analysis. *Beaubien, Marcel J.*, *T-MTT* 68 Dec 1007-1017
- Allpass networks; cf. Microwave allpass networks
- Allpass networks; terminated coupled transmission-line pairs; synthesis. *Steenari, Willem*, *T-MTT* 68 Aug 554-555
- AM and FM noise; microwave measurement system with high sensitivity over video and radio frequencies. *Ondria, John G.*, *T-MTT* 68 Sep 767-781
- AM noise in microwave oscillators; measurement equipment using Schottky barrier diode detector. *Ashley, J. Robert*, *T-MTT* 68 Sep 753-760
- AM/PM noise conversion; FM radio systems; use for noise performance prediction. *Thomas, J. H.*, *T-MTT* 68 Sep 797-799
- Amplifiers; cf. Microwave power amplifiers; Microwave transistor amplifiers; Parametric amplifiers; Reflection amplifiers; Thin-film amplifiers; Tunnel-diode amplifiers
- Amplitude noise spectra; silicon avalanche diode oscillators. *Scherer, Ernst*, *T-MTT* 68 Sep 781-788
- Analog-digital conversion; microwave-carrier gray-code converters; coder stage for converter with 1200 Mbit/s bit rate. *Fisher, Reed E.*, *T-MTT* 68 Aug 541-547
- Anisotropic media in waveguides; perturbation analysis. *Chang, I. C.*, *T-MTT* 68 Apr 260
- Anisotropic moving media; cylindrical waveguides; derivation of equations for electromagnetic wave propagation. *Kong, Jin A.*, *T-MTT* 68 Feb 99-103
- Anisotropic plasmas; diagnostics with microwave Fabry-Perot resonators. *Chaffin, Roger J.*, *T-MTT* 68 Oct 878-879
- Anisotropic twisted media; TEM wave propagation along twist axis. *DaSilva, J. Borges*, *T-MTT* 68 May 296-302
- Annuluses, conducting plane; scattering of axial cylindrical surface waves. *Gillespie, Edmond S.*, *T-MTT* 68 Jun 334-341
- Anomalous skin effect theory; RF surface resistance computation for various metals at low temperatures. *Duncan, L. W.*, *T-MTT* 68 Feb 130-131

- Antenna noise temperature; measurement techniques for microwave frequencies. *Penzias, Arno A.*, *T-MTT* 68 Sep 608-611
- Antennas; cf. Exponential horn antennas; Horn antennas
- Antennas; mutual coupling between two loosely coupled identical antennas; phase bridge measurement. *Mailoux, R. J.*, *T-MTT* 68 Feb 129-130
- Aperture-coupled waveguides; analysis based on equivalent four-port network of multiaperture couplers. *Levy, Ralph*, *T-MTT* 68 Dec 995-1006
- Argon tube noise generators; noise temperature not in agreement with predicted electron temperature. *Olson, Keith W.*, *T-MTT* 68 Sep 640-645
- Arrays; cf. Conductor arrays
- Asymmetrical coupling; dissimilar waveguides; analysis by coupled-mode theory. *Kopp, Eugene H.*, *T-MTT* 68 Jan 6-11
- Atmospheric noise fluctuations; measurement at 4 cm to 8 mm wavelengths using radiometers. *Haroules, George G.*, *T-MTT* 68 Sep 611-620
- Attenuator calibration; estimation of mismatch error limits; effects of realizability conditions for two-ports. *Beatty, R. W.*, *T-MTT* 68 Nov 976
- Automatic frequency control; molecular rotational resonance system for millimeter-wave oscillators. *Cram, Milton E.*, *T-MTT* 68 Aug 548-553
- Avalanche diode oscillators; microwave integrated circuits. *Blau, R.*, *T-MTT* 68 Mar 196-197
- Avalanche diode oscillators; X-band amplitude noise spectra. *Scherer, Ernst*, *T-MTT* 68 Sep 781-788
- Avalanche diodes; beat oscillators in microwave receivers. *Harkless, E. T.*, *T-MTT* 68 Aug 564-565

## B

- Background radiation; cf. Cosmic microwave background radiation
- Baluns; quadrature coupler baluns; broadband design. *Walker, Scott*, *T-MTT* 68 Feb 132-133
- Band transition noise; measurement of excess noise ratio of gas-discharge noise sources. *Olson, Keith W.*, *T-MTT* 68 Sep 797
- Bandpass filters; maximally flat multistub filters with microstrip transmission lines on ceramic substrates; design and performance. *Atwood, W.*, *T-MTT* 68 Jul 477-480
- Bandpass filters; Mumford's maximally flat type; insertion loss versus normalized frequency curves. *Hindin, Harvey J.*, *T-MTT* 68 May 316-318
- Bandpass filters; post-coupled comb-line filters. *Kurzrok, R. M.*, *T-MTT* 68 Oct 888-889
- Bandpass filters; realizations using *Q* of transmission lines. *Joines, William T.*, *T-MTT* 68 Apr 258-260
- Bandpass filters; UHF filter with two orthogonally coupled capacitively loaded TEM resonators. *Mariani, Elio A.*, *T-MTT* 68 Nov 966-967
- Bandpass filters; X-band microstrip filters. *Kelley, Douglas*, *T-MTT* 68 Aug 560-562
- Bandpass filters, equal-element; volume minimization. *Taub, Jesse J.*, *T-MTT* 68 Apr 264-265
- Bandpass filters, high-*Q*; design using dielectric resonators. *Cohn, Seymour B.*, *T-MTT* 68 Apr 218-227
- Bandpass filters, high-*Q*; miniature design using dielectric resonators. *Harrison, William H.*, *T-MTT* 68 Apr 210-218
- Barreter substitution errors; microwave power measurement; experimental confirmation of theory. *Adams, J. W.*, *T-MTT* 68 Mar 201-202
- Barretters, dc-biased; equivalent circuit. *Cohn, Seymour B.*, *T-MTT* 68 Aug 536-541
- Beam waveguides; paraxial ray propagation in lens waveguides; analysis by Z-transform techniques. *Daly, James C.*, *T-MTT* 68 Feb 95-98
- Beat oscillators; germanium avalanche diodes in microwave receivers. *Harkless, E. T.*, *T-MTT* 68 Aug 564-565
- Bends; circular bends in reflecting beam waveguides. *Yamasaki, T.*, *T-MTT* 68 Jun 373-374
- Bends; truncated bends in strip-transmission lines and parallel-plate waveguides. *Campbell, James J.*, *T-MTT* 68 Mar 165-176
- Binary power dividers; unisolated 2n-way type; calculation of scattering parameters. *Hindin, Harvey J.*, *T-MTT* 68 Aug 568-569
- Binary TEM power dividers; theoretical input standing-wave ratio. *Hindin, Harvey J.*, *T-MTT* 68 Feb 123-125
- Birefringent filters; Solc type for millimeter waves; scale model. *Schiffman, Bernard M.*, *T-MTT* 68 Jun 351-360
- Bolometers, dc-biased; equivalent circuit. *Cohn, Seymour B.*, *T-MTT* 68 Aug 536-541
- Branch-guide directional couplers, symmetrical; synthesis technique; tables of immittance values for Chebyshev branch-guide couplers and Butterworth branch-guide couplers. *Levy, Ralph*, *T-MTT* 68 Feb 80-89
- Broadband circulators; three-port waveguide type; theoretical design. *Parsonson, C. G.*, *T-MTT* 68 Apr 256-258
- Broadband matching; resonant circuits; circulators. *Schwartz, Eduard*, *T-MTT* 68 Mar 158-165
- Broadband matching of parametric amplifiers; Fano's method; generation of Chebyshev gain curve. *Porra, V.*, *T-MTT* 68 Oct 880-882
- Broadband traveling-wave masers; noise performance. *Degruij, J. A.*, *T-MTT* 68 Sep 586-595
- Bulk ferrites; saturation magnetization and linewidth at room and liquid helium temperatures. *Peyton, B. J.*, *T-MTT* 68 May 319-320
- Butterworth branch-guide couplers; synthesis technique; tables of immittance values. *Levy, Ralph*, *T-MTT* 68 Feb 80-89

## C

- Calibration of noise sources; microwave receivers with mismatched components; error analysis. *Otoshi, Tom Y.*, *T-MTT* 68 Sep 675-686
- Calibration of noise sources; techniques for calibration of coaxial noise generators in terms of waveguide standard. *Engen, Glenn F.*, *T-MTT* 68 Sep 636-639
- Calibration of noise sources; X-band radiometers; design providing error minimization. *Somlo, P. I.*, *T-MTT* 68 Sep 664-669
- Calibration of noise standards; waveguide noise standards; FORTRAN computer program. *Stelzried, Charles T.*, *T-MTT* 68 Sep 646-655
- Capacitors; cf. Negative capacitors
- Capacitors; thin-film lumped elements for integrated microwave amplifiers. *Caulton, Martin*, *T-MTT* 68 Jul 397-404
- Cartesian and circular wave functions; scalar product. *Amitay, N.*, *T-MTT* 68 Apr 265-266



Cascaded exponential transmission lines; equivalence to uniform transmission lines. *Das, Dipati, T-MTT 68 Aug 511-516*

Cavity filters; direct-coupled type; theory and design techniques. *Levy, Ralph, T-MTT 67 Jun 340-348*

Cavity resonators; coaxial ferrite-filled cavity resonators; dispersion relations. *Mueller, Ralph S., T-MTT 68 Oct 835-842*

Cavity resonators; concentric spherical resonators; eigenfrequency tables; tabulation of resonant frequencies. *Rode, D. L., T-MTT 68 Jun 369-372*

Cavity resonators; gas filled; electrical noise at mm wavelengths expressed as a function of intensity of applied coherent signal. *Senitzky, Benjamin, T-MTT 68 Sep 728-732*

Cavity resonators; perturbation theory and perturbation measurement. *Hahn, Harald, T-MTT 68 Jan 20-29*

Cavity stabilization; microwave oscillators; noise reduction. *Ashley, J. Robert, T-MTT 68 Sep 743-748*

Channel separation filters; preselectors with improved frequency characteristics. *Nishimura, Sadahiko, T-MTT 68 Oct 891-893*

Chebyshev branch-guide couplers; synthesis technique; tables of immittance values. *Levy, Ralph, T-MTT 68 Feb 80-89*

Chebyshev gain curves; generation by Fano's broadband matching method. *Porra, V., T-MTT 68 Oct 880-882*

Chemically-deposited ferrites; saturation magnetization and linewidth at room and liquid helium temperatures. *Peyton, B. J., T-MTT 68 May 319-320*

Circuit analysis; cf. Microwave circuit analysis

Circular and Cartesian wave functions; scalar product. *Amitay, N., T-MTT 68 Apr 265-266*

Circular bends; reflecting beam waveguide design. *Yamasaki, T., T-MTT 68 Jun 373-374*

Circular nonreciprocal polarizers using ferrites; phase shifters. *Reuss, M. L., Jr., T-MTT 67 Jan 37-41*

Circular solid-state plasma waveguides; electromagnetic wave propagation theory; Faraday effects. *Kuno, Hiromu J., T-MTT 67 Dec 661-668*

Circular TE<sub>01</sub> mode; circular irises in flange connection of matched termination; reflection coefficient standards. *Champlin, Keith S., T-MTT 68 Feb 90-94*

Circular waveguides; multimode type; analysis of circumferential gaps. *Morita, Nagayoshi, T-MTT 68 Mar 183-189*

Circulators; cf. Lumped-element Y circulators; Microstrip circulators; Switchable circulators; Three-port waveguide circulators

Circulators; broadband matching. *Schwartz, Eduard, T-MTT 68 Mar 158-165*

Circulators; high-power air-cooled SPDT switch. *Stern, Richard A., T-MTT 68 Dec 1034-1037*

Circulators; planar geometry ferrite devices for microwave integrated circuits. *Roome, Gerard T., T-MTT 68 Jul 411-420*

Circulators; switchable time-delay circuits; effect of ring resonance. *Shipley, C. A., T-MTT 68 Mar 202-203*

Circulators; Y-junction E-plane design for high power; experimental measurements. *Wright, William H., Jr., T-MTT 68 Aug 557-559*

Circumferential gaps; circular multimode waveguides; analysis. *Morita, Nagayoshi, T-MTT 68 Mar 183-189*

Class C oscillators; low-noise, high-power, high-frequency design using directional coupler; FM noise performance. *Peppiati, Harry J., T-MTT 68 Sep 748-752*

Coaxial circuits; coplanar high-power gallium arsenide Gunn-effect oscillators. *Norton, L. E., T-MTT 68 Jul 480-481*

Coaxial ferrite-filled transmission lines; dispersion relations. *Mueller, Ralph S., T-MTT 68 Oct 835-842*

Coaxial filters; low-pass type with VSWR of 1.05; design. *Levy, Ralph, T-MTT 68 Mar 142-147*

Coaxial line to slab line transition; design with the aid of Laplace's equation in three dimensions. *Sinnott, D. H., T-MTT 68 Feb 135-136*

Coaxial low-pass filters; physical realization. *Snyder, Richard V., T-MTT 68 Apr 262-264*

Coaxial noise generators; calibration in terms of waveguide standard. *Engen, Glenn F., T-MTT 68 Sep 636-639*

Coders; cf. Microwave coders

Coherent signals; electrical noise of gas filled cavity resonators expressed as a function of signal intensity. *Senitzky, Benjamin, T-MTT 68 Sep 728-732*

Commensurate linewidth filters; elliptic-function type; effectiveness of unit elements. *Horton, M. C., T-MTT 68 Aug 555-557*

Commensurate transmission-line networks; frequency transformation. *Cristal, Edward G., T-MTT 67 Jun 348-357*

Complementary filters; narrowband printed-circuit type; design and interconnection equivalent circuits. *Wenzel, Robert J., T-MTT 68 Mar 147-157*

Complementary microwave filters; design. *Wenzel, Robert J., T-MTT 68 Mar 191-192*

Computer-aided design; stabilizing networks for tunnel-diode amplifiers. *Bandler, John W., T-MTT 68 Jun 326-333*

Computer-aided design; strip transmission lines; Maxwellian capacitance matrix computation. *Kammler, David W., T-MTT 68 Nov 925-937*

Computer-aided design; wide-band integrated microwave transistor amplifiers on high dielectric substrates. *Gelnovatch, V. G., T-MTT 68 Jul 429-439*

Concentric spherical resonators; eigenfrequency tables; tabulation of resonant frequencies. *Rode, D. L., T-MTT 68 Jun 369-372*

Conducting plane annuluses; scattering of axial cylindrical surface waves. *Gillespie, Edmond S., T-MTT 68 Jun 334-341*

Conductor arrays; parallel-coupled arrays; equivalent circuit based on capacitance matrix. *Seviara, Rudolf, T-MTT 68 Oct 875-877*

Confluence; periodic slow wave structures; prediction of nonzero group velocity. *McDiarmid, Don R., T-MTT 68 Jan 2-6*

Connectors; reflection coefficient measurement at E-band. *Patty, O. L., T-MTT 68 Feb 121-123*

Converters; cf. Analog-digital conversion

Cork composition materials; dielectric constant and loss tangent at room temperature from 10 to 10 000 MHz. *Rueggeberg, Werner, T-MTT 68 Jan 55-57*

Corners; plane dielectric-coated conductor surface waveguides; design. *Stutzman, Warren L., T-MTT 68 Jan 52-53*

Corners; symmetrically truncated right-angle corners; parallel-plate and rectangular waveguides; analysis. *Campbell, James J., T-MTT 68 Aug 517-529*

Cosmic microwave background radiation; measurement techniques and measurements. *Penzias, Arno A., T-MTT 68 Sep 608-611*

Coupled antennas; phase bridge measurement of coupling parameters for two

loosely coupled identical antennas. *Mailloux, R. J., T-MTT 68 Feb 129-130*

Coupled dissimilar waveguides; asymmetrical coupling; analysis by coupled-mode theory. *Kopp, Eugene H., T-MTT 68 Jan 6-11*

Coupled pairs of microstrip transmission lines; theoretical analysis using dielectric Green's function; numerical tables of parameters. *Bryant, Thomas G., T-MTT 68 Dec 1021-1027*

Coupled strip lines in waveguides; characteristic impedance and coupling coefficient. *Krage, Mark K., T-MTT 68 May 302-307*

Coupled transmission lines; nonsymmetrical generalizations; reentrant cross section. *Cristal, Edward G., T-MTT 67 Sep 529-530*

Couplers; cf. Branch-guide directional couplers; Directional couplers; Microstrip couplers

Couplers; construction of 3-dB couplers by tandem connection of two 8.34-dB asymmetric couplers. *Hindin, Harvey J., T-MTT 68 Feb 125-126*

Couplers; multiaperture waveguide directional couplers; analysis based on equivalent four-port network; synthesis technique. *Levy, Ralph, T-MTT 68 Dec 995-1006*

Couplers; wideband stripline hybrid-ring design. *March, Steven, T-MTT 68 Jun 361*

Coupling; cf. Asymmetrical coupling

Coupling posts; comb-line bandpass filters. *Kurzrok, R. M., T-MTT 68 Oct 888-889*

Crack waves; ferrite-filled rectangular waveguides; thermodynamic paradox. *Gagne, Real R. J., T-MTT 68 Apr 241-250*

Cryogenic noise standards; helium cooling. *Mukaihata, Tadao, T-MTT 68 Sep 699-708*

Cryogenic noise standards; X-band source cooled by liquid helium. *Trembath, C. L., T-MTT 68 Sep 709-714*

Curved-boundary transmission lines; TEM-mode; calculation of upper bound for characteristic impedance. *Sinnott, D. H., T-MTT 68 Nov 971-972*

Cutoff frequencies; dielectric-loaded waveguides; calculation by approximation technique. *Hord, William E., T-MTT 68 Apr 228-233*

Cylindrical waveguides; anisotropic moving media; equations for electromagnetic wave propagation. *Kong, Jin A., T-MTT 68 Feb 99-103*

Cylindrical waveguides; dispersive media moving at nonrelativistic velocities; analysis of TE and TM modal fields. *Berger, Henry, T-MTT 68 Jan 11-16*

Cylindrical waveguides; dispersive media moving at relativistic velocities; analysis of modal field structures and electromagnetic power flow. *Berger, Henry, T-MTT 68 Jan 16-20*

Cylindrically stratified columns; exact wave functions for electromagnetic wave propagation. *Burman, R., T-MTT 68 Feb 127-129*

## D

Data processors; integrated-circuit fabrication; possibility of using optical surface waves on thin dielectric films. *Shubert, Richard, T-MTT 68 Dec 1048-1054*

Deep space exploration; ultra-low-noise front end for horn antennas. *Levy, Gerald S., T-MTT 68 Sep 596-602*

Delay characteristics; microwave allpass networks with TEM propagation mode; realization of any arbitrary characteristic by transformerless coupled-line network with an arbitrary additive constant. *Scanlan, Sean O., T-MTT 68 Feb 62-72*

Delay lines; YIG rod/sleeve configuration for dispersionless variable delay. *van de Vaart, H., T-MTT 68 Nov 965-966*

Delay networks with linear delay characteristics; microwave allpass networks. *Scanlan, Sean O., T-MTT 68 Feb 72-79*

Delta operators; electromagnetic wave propagation in moving simple media. *Nathan, Amos, T-MTT 68 Oct 883-884*

Detectors; cf. Bolometers

Detectors; monolithic gallium arsenide detectors for millimeter-wave integrated circuits. *Mao, S., T-MTT 68 Jul 455-461*

Dielectric constant measurement; ferroelectric materials with large dielectric constants; effects of sample temperature. *Horton, J. B., T-MTT 68 Oct 873-875*

Dielectric-filled transmission lines; impedance matching with negative capacitors. *Kelly, Alexander J., T-MTT 67 Oct 583-584*

Dielectric Green's function; theoretical analysis of microstrip transmission lines. *Bryant, Thomas G., T-MTT 68 Dec 1021-1027*

Dielectric-loaded rectangular waveguides; dispersion equations for all modes; frequency bandwidth. *Gardioli, Fred E., T-MTT 68 Nov 919-924*

Dielectric-loaded waveguides; cutoff frequencies and propagation numbers for TE<sub>0n</sub> modes; computer-printed tables. *Seckelmann, Robert, T-MTT 68 Jun 362-368*

Dielectric-loaded waveguides; propagation constants; cutoff frequencies; calculation by approximation technique. *Hord, William E., T-MTT 68 Apr 228-233*

Dielectric resonator filters; coupling formulas. *Cohn, Seymour B., T-MTT 68 Apr 218-227*

Dielectric resonator filters; miniature high-Q bandpass filters; design. *Harrison, William H., T-MTT 68 Apr 210-218*

Dielectric resonators without conducting boundaries; single-crystal rutile and strontium titanate; experimental data on circuit properties. *Karp, Arthur, T-MTT 68 Oct 818-828*

Dielectrically loaded waveguides; rectangular waveguides loaded by high thin magnetized ferrite slab against one sidewall; impedance wall analysis of propagation of TE zero-order modes. *Bernardi, P., T-MTT 68 Feb 126-127*

Differential phase shifters; high-accuracy phase standards for use over 4.25 to 6.20 GHz range. *James, Allan V., T-MTT 68 Nov 944-949*

Digital computer applications; higher-order waveguide mode analysis; finite-difference method using successive overrelaxation. *Beaubien, Marcel J., T-MTT 68 Dec 1007-1017*

Digital-elliptic filters; wideband high-selectivity diplexers. *Wenzel, Robert J., T-MTT 67 Dec 669-680*

Diode loop binary phase shifters; compact devices suitable for stripline application. *Connerney, William R., T-MTT 68 Feb 134-135*

Diode structure optimization; surface oriented diodes for monolithic integrated Ku-band phase shifters. *Battershall, Barry W., T-MTT 68 Jul 445-450*

Diode switches; microwave SPDT switches with octave bandwidth; T-junction shunt-mounted diode configuration; high-power performance. *White, Joseph F., T-MTT 68 Jan 30-36*

Diode switches; ultrahigh-speed switches for 50 GHz band utilizing avalanche breakdown in varactor diodes. *Sugimoto, Shigetoki, T-MTT 68 Dec 1017-*



1021

- Diode waveguide mounts**; impedance of packaged diode in waveguide mount related to impedance measured at waveguide terminals. *van Iperen, B. B.*, *T-MTT 68 Nov 961-963*
- Diodes**; cf. Avalanche diodes; Gallium arsenide varactor diodes; Space-charge-limited solid-state diodes
- Diplexers**; wideband high-selectivity diplexers using digital-elliptic filters. *Wenzel, Robert J.*, *T-MTT 67 Dec 669-680*
- Diplexing filters**; millimeter wavelength filters with circular TE<sub>011</sub> mode resonator outputs. *Standley, R. D.*, *T-MTT 68 Jan 50-51*
- Direct-coupled-cavity filters**; theory and design techniques. *Levy, Ralph*, *T-MTT 67 Jun 340-348*
- Directional couplers**; microstrip X-band filters. *Kelley, Douglas*, *T-MTT 68 Aug 560-562*
- Directional couplers**; quarter-wave length 3-dB directional couplers for thin-film microwave integrated circuits; design procedure and performance. *Morris, J. E.*, *T-MTT 68 Jul 476-477*
- Directional couplers**; symmetrical Chebyshev branch-guide couplers and Butterworth branch-guide couplers; synthesis technique; tables of immittance values. *Levy, Ralph*, *T-MTT 68 Feb 80-89*
- Directional couplers**; terminated coupled transmission-line pairs; synthesis. *Steenaaft, Willem*, *T-MTT 68 Aug 554-555*
- Directional couplers**; use in low-noise, high-power, high-frequency class C oscillators with excellent FM noise performance. *Peppiatt, Harry J.*, *T-MTT 68 Sep 748-752*
- Directional couplers for transmission lines**; design with high-pass coupling characteristic. *Arndt, Fritz*, *T-MTT 68 May 310-311*
- Discriminators**; microwave oscillator FM noise measurement equipment; improved design. *Ashley, J. Robert*, *T-MTT 68 Sep 753-760*
- Dispersion relations**; coaxial ferrite-filled longitudinally magnetized transmission lines; evaluation of X-band tunable ferrite filters. *Mueller, Ralph S.*, *T-MTT 68 Oct 835-842*
- Double-injection space-charge-limited solid-state diodes**; noise smaller than in single-injection type. *van der Ziel, A.*, *T-MTT 68 May 308*

## E

- E-band reflection coefficient measurement**; single-arm reflectometers. *Patty, O. L.*, *T-MTT 68 Feb 121-123*
- E-plane Y-junction circulators**; high power; design and experimental measurements. *Wright, William H., Jr.*, *T-MTT 68 Aug 557-559*
- Echo signal propagating in space**; radar target scintillation expressed as distortions independent of radar system parameters; Poynting vector analysis. *Dunn, John H.*, *T-MTT 68 Sep 715-728*
- Electrical noise**; generated at mm wavelengths by absorbing gas in a cavity; expressed as a function of intensity of applied coherent signal. *Senitzky, Benjamin*, *T-MTT 68 Sep 728-732*
- Electromagnetic wave propagation**; cylindrical solid-state plasma waveguides; Faraday effects. *Kuno, Hiromu J.*, *T-MTT 67 Dec 661-668*
- Electromagnetic wave propagation**; cylindrical waveguides with moving dispersive media; analysis of TE and TM modal fields for nonrelativistic velocities. *Berger, Henry*, *T-MTT 68 Jan 11-16*
- Electromagnetic wave propagation**; cylindrical waveguides with dispersive media moving at relativistic velocities; analysis of modal field structures and electromagnetic power flow. *Berger, Henry*, *T-MTT 68 Jan 16-20*
- Electromagnetic wave propagation**; cylindrically stratified columns; exact wave functions. *Burman, R.*, *T-MTT 68 Feb 127-129*
- Electromagnetic wave propagation**; ferrite-filled longitudinally magnetized square waveguides; normal modes calculated with generalized telegraphist's equations. *Hord, William E.*, *T-MTT 68 Nov 967-969*
- Electromagnetic wave propagation**; guided waves in anisotropic moving media; derivation of equations. *Kong, Jin A.*, *T-MTT 68 Feb 99-103*
- Electromagnetic wave propagation**; moving media; first-order theory. *Censor, Dan*, *T-MTT 68 Aug 565-566*
- Electromagnetic wave propagation**; moving simple media; extended  $\nabla$  relations. *Nathan, Amos*, *T-MTT 68 Oct 883-884*
- Electromagnetic wave propagation**; rectangular waveguides loaded with centrally placed semiconductor; approximate calculations of propagation constants. *Sheikh, R. H.*, *T-MTT 68 Feb 117-121*
- Electromagnetic wave propagation**; TE zero-order modes in rectangular waveguides loaded by high thin magnetized ferrite slab against one sidewall; impedance wall analysis. *Bernardi, P.*, *T-MTT 68 Feb 126-127*
- Electromagnetic wave propagation**; TEM waves along twist axis of anisotropic media; solution of wave equation. *DaSilva, J. Borges*, *T-MTT 68 May 296-302*
- Electromagnetic wave propagation**; TE<sub>0</sub> modes in dielectric-loaded waveguides; computer-printed tables. *Seckelmann, Robert*, *T-MTT 68 Jun 362-368*
- Electromagnetic wave propagation, transient**; moving media effects on modal propagation characteristics in dispersive waveguides. *Berger, Henry*, *T-MTT 68 Oct 842-849*
- Electromagnetic waves in ferrite rods**; classification scheme based on radial wave numbers. *Schott, F. W.*, *T-MTT 68 Nov 959-961*
- Electron density in plasmas**; electron collision frequency; plasma diagnostics with microwave Fabry-Perot resonators. *Chaffin, Roger J.*, *T-MTT 68 Jan 37-45*
- Elliptic-function filters**; commensurate length type; effectiveness of unit elements. *Horton, M. C.*, *T-MTT 68 Aug 555-557*
- End-coupled filters**; symmetric stripline type; calculation of gap spacing. *Richardson, J. K.*, *T-MTT 68 Aug 559-560*
- Equal-element bandpass filters**; volume minimization. *Taub, Jesse J.*, *T-MTT 68 Apr 264-265*
- Equivalent circuits**; parallel conductor arrays. *Seviara, Rudolf*, *T-MTT 68 Oct 875-877*
- Equivalent generator concept**; microwave circuit analysis. *Nemoto, Toshio*, *T-MTT 68 Oct 866-873*
- Errors due to uncertainty principle**; swept-frequency cavity measurement of solid material properties. *Waldron, R. A.*, *T-MTT 68 May 314-315*
- Excess noise ratio**; gas-discharge noise sources; measurement in waveguide band without known output source. *Olson, Keith W.*, *T-MTT 68 Sep 797*
- Exponential horn antennas**; approximation as uniform waveguides with variable index of refraction. *Zelby, L. W.*, *T-MTT 68 Aug 566-567*
- Exponential transmission lines**; cascaded sections; use in place of uniform transmission lines. *Das, Dipti*, *T-MTT 68 Aug 511-516*

**Extragalactic microwave emission**; detection equipment; chromium-doped rutile traveling-wave masers for 1300 to 3400 Hz range. *Rydbeck, O. E. H.*, *T-MTT 68 Sep 799-803*

## F

- Fabry-Perot resonators**; cf. Microwave Fabry-Perot resonators
- Fano's broadband matching theory**; parametric amplifiers; generation of Chebyshev gain curve. *Porra, V.*, *T-MTT 68 Oct 880-882*
- Faraday effects**; circular solid-state plasma waveguides. *Kuno, Hiromu J.*, *T-MTT 67 Dec 661-668*
- Fast Fourier transforms**; numerical solution of waveguide problems. *Carson, C. T.*, *T-MTT 68 Nov 955-958*
- Ferrite-filled coaxial transmission lines**; dispersion relations. *Mueller, Ralph S.*, *T-MTT 68 Oct 835-842*
- Ferrite-filled rectangular waveguides**; paradoxical surface waves. *Gagne, Real R. J.*, *T-MTT 68 Apr 241-250*
- Ferrite-filled square waveguides, longitudinally magnetized**; normal modes calculated with generalized telegraphist's equations. *Hord, William E.*, *T-MTT 68 Nov 967-969*
- Ferrite-filled waveguides**; longitudinally magnetized parallel-plane model; dependence of phase-shift mechanism on electrical thickness. *Buck, Daniel C.*, *T-MTT 68 Dec 1028-1033*
- Ferrite filters**; coaxial X-band tunable ferrite filters; evaluation with the aid of dispersion relations; tuning curves. *Mueller, Ralph S.*, *T-MTT 68 Oct 835-842*
- Ferrite isolators**; bulk and chemically-deposited ferrite isolators for millimeter wave masers. *Peyton, B. J.*, *T-MTT 68 May 319-320*
- Ferrite junction circulators**; latching switchable type; theory and performance. *Siekanowicz, W. W.*, *T-MTT 68 Mar 177-183*
- Ferrite phase shifters**; latching reciprocal polarization-insensitive device. *Meier, Paul J.*, *T-MTT 68 Nov 958-959*
- Ferrite phase shifters**; planar geometry ferrite devices for microwave integrated circuits. *Roome, Gerard T.*, *T-MTT 68 Jul 411-420*
- Ferrite phase shifters, reciprocal**; suppressed rotation theory; nonreciprocal coupling of cross-polarized waveguide modes. *Hord, William E.*, *T-MTT 68 Nov 902-910*
- Ferrite rods**; electromagnetic wave classification scheme based on radial wave numbers. *Schott, F. W.*, *T-MTT 68 Nov 959-961*
- Ferrites**; remanence devices; magnetostriction effects on material parameters. *Epstein, Richard*, *T-MTT 68 Jan 54-55*
- Ferrites**; unsaturated planar single crystals; ferromagnetic resonance. *Christopher, A.*, *T-MTT 68 May 315-316*
- Ferrites**; use in nonreciprocal circular polarizers. *Reuss, M. L., Jr.*, *T-MTT 67 Jan 37-41*
- Ferroelectric materials with large dielectric constant**; measurement of loss tangent and relative dielectric constant at microwave frequencies. *Horton, J. B.*, *T-MTT 68 Oct 873-875*
- Ferromagnetic resonance**; unsaturated hexagonal ferrites with planar anisotropy. *Christopher, A.*, *T-MTT 68 May 315-316*
- Field distribution**; waveguides loaded with semiconductor rods; positive and negative conductivity. *Andersen, J. Bach*, *T-MTT 68 Mar 194-196*
- Filter design**; complementary and pseudo-complementary microwave filters. *Wenzel, Robert J.*, *T-MTT 68 Mar 191-192*
- Filter design**; end-coupled symmetric stripline filters. *Richardson, J. K.*, *T-MTT 68 Aug 559-560*
- Filters**; cf. Bandpass filters; Birefringent filters; Cavity filters; Channel separation filters; Coaxial filters; Complementary filters; Digital-elliptic filters; Diplexing filters; Elliptic-function filters; Interdigital filters; Low-pass filters; Mode filters; Non-minimum-phase microwave filters; Quasi-optical low-pass filters; Stripline filters; YIG filters
- Finite-difference analysis**; higher-order mode analysis; successive overrelaxation. *Beaubien, Marcel J.*, *T-MTT 68 Dec 1007-1017*
- Flat-roof open resonators**; analysis of modes and losses by Fox and Li iteration method; experimental verification. *Checcacci, Pier F.*, *T-MTT 68 Feb 103-109*
- FM and AM noise**; microwave measurement system with high sensitivity over video and radio frequencies. *Ondria, John G.*, *T-MTT 68 Sep 767-781*
- FM noise in microwave oscillators**; measurement equipment using improved discriminator. *Ashley, J. Robert*, *T-MTT 68 Sep 753-760*
- FM noise suppression**; injection phase-locked oscillators. *Hines, M. E.*, *T-MTT 68 Sep 738-742*
- FM radio systems**; AM/PM noise conversion; use for noise performance prediction. *Thomas, J. H.*, *T-MTT 68 Sep 797-799*
- Focused-beam waveguides**; quasi-optical low-pass filter consisting of thin layers of dielectric interspersed with arrays of thin metallic strips. *Matthaei, George L.*, *T-MTT 68 Dec 1038-1047*
- Four-diode star mixer/modulators**; realizations. *Mouw, Robert B.*, *T-MTT 68 Nov 911-918*
- Fourier transform analysis**; microstrip lines. *Yamashita, Eikichi*, *T-MTT 68 Apr 251-256*
- Fourier transforms**; fast Fourier transforms for numerical solution of waveguide problems. *Carson, C. T.*, *T-MTT 68 Nov 955-958*
- Fox and Li iteration method**; analysis of flat-roof open resonators. *Checcacci, Pier F.*, *T-MTT 68 Feb 103-109*
- Free-wave microwave reflectometers**; measurement of reflectivity of smooth water at 19.24 and 22.43 GHz. *Thompson, Edgar J.*, *T-MTT 68 Nov 938-943*
- Frequency band transitions**; microwave gas-discharge noise sources; measurement. *Olson, Keith W.*, *T-MTT 68 Sep 797*
- Frequency memory**; Gunn oscillator in multifrequency cavity; oscillations at several stable frequencies. *Magarshack, J.*, *T-MTT 68 Dec 1055-1057*
- Frequency multipliers**; millimeter-wave quadrupler using planar-diffused gallium arsenide varactor diodes. *Lee, Tien Pei*, *T-MTT 68 May 287-296*
- Frequency multipliers**; S- to X-band microwave integrated circuit frequency quadrupler. *Johnson, Kenneth M.*, *T-MTT 68 Jul 420-424*

## G

- Gain measurements**; simultaneous measurement of gain and noise of two-ports using two noise generators as only signal sources; technique. *Kenney, James M.*, *T-MTT 68 Sep 603-607*
- Galactic microwave emission**; detection equipment; chromium-doped rutile traveling-wave masers for 1300 to 3400 Hz range. *Rydbeck, O. E. H.*, *T-MTT 68 Sep 799-803*



- Gallium arsenide**; microwave and millimeter-wave integrated circuit applications; Schottky barrier mixer diodes; Gunn oscillators. *Mehal, Edward W., T-MTT 68 Jul 451-454*
- Gallium arsenide varactor diodes, planar-diffused**; harmonic generators for millimeter-wave quadruplers and up-converters. *Lee, Tien Pei, T-MTT 68 May 287-296*
- Gap spacing**; end-coupled symmetric stripline filters; calculation. *Richardson, J. K., T-MTT 68 Aug 559-560*
- Gas-discharge noise generators**; noise temperature not in agreement with predicted electron temperature. *Olson, Keith W., T-MTT 68 Sep 640-645*
- Gas-discharge noise generators**; use as noise standards at S-, C- and X-band. *Denson, Colin I., T-MTT 68 Sep 655-663*
- Gas-discharge tubes**; frequency band transitions; measurement of band transition noise. *Olson, Keith W., T-MTT 68 Sep 797*
- Green's function**; dielectric Green's function for theoretical analysis of microstrip transmission lines. *Bryant, Thomas G., T-MTT 68 Dec 1021-1027*
- Guided waves in moving anisotropic media**; derivation of equations. *Kong, Jin A., T-MTT 68 Feb 99-103*
- Guided waves in moving dispersive media**; relativistic velocities; analysis. *Berger, Henry, T-MTT 68 Jan 16-20*
- Guided waves in moving media**; first-order propagation. *Censor, Dan, T-MTT 68 Aug 565-566*
- Gunn-effect oscillators**; high-power coplanar gallium arsenide oscillators for coaxial and stripline circuits; microwave integrated circuits. *Norton, L. E., T-MTT 68 Jul 480-481*
- Gunn oscillators**; gallium arsenide oscillators for monolithic microwave integrated circuits. *Mehal, Edward W., T-MTT 68 Jul 451-454*
- Gunn oscillators**; oscillations at several stable frequencies in multifrequency cavity; frequency memory. *Magarshack, J., T-MTT 68 Dec 1055-1057*

## H

- Harmonic generation**; plasma columns at resonance. *McIntosh, R. C., T-MTT 68 Nov 950-951*
- Harmonic generators**; millimeter-wave quadruplers and up-converters using planar-diffused gallium arsenide varactor diodes. *Lee, Tien Pei, T-MTT 68 May 287-296*
- Helium-cooled parametric amplifiers**; 4GHz broad-band low-noise amplifier cooled by liquid helium; operation at 4.2 degrees K. *Josenhans, J. G., T-MTT 68 Sep 791-793*
- Hexagonal ferrites**; unsaturated single crystals with planar anisotropy; ferromagnetic resonance. *Christopher, A., T-MTT 68 May 315-316*
- High-power circulators**; Y-junction E-plane experimental measurements; design. *Wright, William H., Jr., T-MTT 68 Aug 557-559*
- High-power SPDT switches**; air-cooled ferrite latching device with differential phase shift circulator design. *Stern, Richard A., T-MTT 68 Dec 1034-1037*
- High-power waveguide tuners**; design. *Muehe, C. E., T-MTT 68 Oct 882-883*
- Higher-order waveguide modes**; finite-difference method using successive overrelaxation for accurate analysis; algorithm. *Beaubien, Marcel J., T-MTT 68 Dec 1007-1017*
- Horn antennas**; cf. Exponential horn antennas
- Horn antennas**; deep space exploration; ultra-low-noise front end. *Levy, Gerald S., T-MTT 68 Sep 596-602*
- Hybrid circuits for isolation and coupling**; microwave integrated circuits; isolation limit theory; lossy TEM transmission lines; rat-race rings and hybrid squares. *Kurzrok, R. M., T-MTT 67 Feb 127-128*
- Hybrid junctions**; broad-band type for four-diode star mixer/modulator. *Mouw, Robert B., T-MTT 68 Nov 911-918*
- Hybrid microwave integrated circuits**; lumped-element amplifiers; design and performance. *Caulton, Martin, T-MTT 68 Jul 397-404*
- Hybrid microwave integrated circuits**; performance data for microstrip ferrite circulators, phase shifters and single-crystal YIG filters. *Allen, J., Lamar, T-MTT 68 Jul 405-411*
- Hybrid mixers**; cancellation of oscillator noise. *Lange, J., T-MTT 68 Jun 368-369*
- Hybrid power dividers, lossy N-way**; input VSWR and output isolation. *Hindin, Harvey J., T-MTT 68 Mar 199-201*
- Hybrid-ring couplers, rat-race**; stripline design. *March, Steven, T-MTT 68 Jun 361*
- Hybrid three-ports, broadband TEM mode**; analysis; power divider and power combiner applications. *Cohn, Seymour B., T-MTT 68 Feb 110-116*

## I

- Impedance-matching networks**; realizations using  $Q$  of transmission lines. *Joines, William T., T-MTT 68 Apr 258-260*
- Impedance measurement**; diodes; relation between impedance of packaged diode in waveguide mount and impedance measured at waveguide terminals. *van Iperen, B. B., T-MTT 68 Nov 961-963*
- Impedance transformers**; multisection inhomogeneous quarter-wavelength transformers with approximately equal-ripple performance; general design procedure. *Riblet, Henry J., T-MTT 65 Sep 622-629*
- Impedance versus bias measurement technique**; varactors; procedure for calculating  $Q$ . *Sard, Eugene W., T-MTT 68 Oct 849-860*
- Impedance wall analysis**; TE zero-order modes in rectangular waveguides loaded by high thin magnetized ferrite slab against one sidewall. *Bernardi, P., T-MTT 68 Feb 126-127*
- Indium antimonide**; partially filled waveguide isolators. *May, W. G., T-MTT 68 Oct 877-878*
- Inductors**; thin-film lumped elements for integrated microwave amplifiers. *Caulton, Martin, T-MTT 68 Jul 397-404*
- Inhomogeneous media in waveguides**; perturbation analysis. *Chang, I. C., T-MTT 68 Apr 260*
- Injection phase-locked oscillators**; FM noise suppression; prediction of FM noise spectrum. *Hines, M. E., T-MTT 68 Sep 738-742*
- InSb**; cf. Indium antimonide
- Insertion losses**; calculation for transmission lines. *Ricardi, L. J., T-MTT 68 Mar 189-191*
- Insertion losses**; Mumford's maximally flat bandpass filters. *Hindin, Harvey J., T-MTT 68 May 316-318*
- Integrated circuit microwave modules**; technical and economic aspects. *Webster, William M., T-MTT 68 Jul 384-388*
- Integrated circuit oscillators**; silicon chips operated as pulsed avalanche diodes. *Blau, R., T-MTT 68 Mar 196-197*

- Integrated circuits**; cf. Hybrid microwave integrated circuits; Microwave integrated circuits; Millimeter-wave integrated circuits; Thin-film integrated circuits
- Integrated data processors**; possibility of using optical surface waves on thin dielectric films. *Shubert, Richard, T-MTT 68 Dec 1048-1054*
- Integrated parametric amplifiers**; S-band amplifier with flat-gain and linear phase response. *Okean, H. C., T-MTT 68 Dec 1057-1059*
- Integrated phase shifters**; diode structure optimization in Ku-band monolithic phase shifters. *Battershall, Barry W., T-MTT 68 Jul 445-450*
- Interconnection circuits**; narrowband microwave multiplexers. *Wenzel, Robert J., T-MTT 68 Mar 147-157*
- Interdigital filters**; equivalent transmission-line cascades; relationships between parameters; admittance matrix. *Riblet, Henry J., T-MTT 67 Mar 161-166*
- Interstage coupling**; comb-line bandpass filters. *Kurzrok, R. M., T-MTT 68 Oct 888-889*
- Iris-loaded waveguides**; perturbation measurement of transverse  $R/Q$ . *Hahn, Harald, T-MTT 68 Jan 20-29*
- Irises**; waveguide section containing two identical irises; analysis by fast Fourier transforms. *Carson, C. T., T-MTT 68 Nov 955-958*
- Isolation limit theory**; hybrid circuits for isolation and coupling; lossy TEM transmission lines; microwave integrated circuits; rat-race rings and hybrid squares. *Kurzrok, R. M., T-MTT 67 Feb 127-128*
- Isolators**; bulk and chemically-deposited ferrites for millimeter wave masers. *Peyton, B. J., T-MTT 68 May 319-320*
- Isolators**; planar geometry ferrite devices for microwave integrated circuits. *Roome, Gerard T., T-MTT 68 Jul 411-420*
- Isolators**; waveguides partially filled with indium antimonide; experimental data at 35.0 GHz. *May, W. G., T-MTT 68 Oct 877-878*

## J

- Junctions**; broad-band hybrid junctions for four-diode star mixer/modulator applications. *Mouw, Robert B., T-MTT 68 Nov 911-918*
- Junctions**; symmetrical four-port junctions in strip-transmission lines and parallel-plate waveguides. *Campbell, James J., T-MTT 68 Mar 165-176*

## K

- Kerr effect**; measurement in semiconductors using reflectometers. *Vernon, R. J., T-MTT 68 Apr 262*
- Klystron amplifiers**; pulsed and CW condition; additive noise measurement techniques. *Sann, Klaus H., T-MTT 68 Sep 761-766*
- Klystron oscillators**; transmission-stabilizing cavity for noise reduction. *Ashley, J., Robert, T-MTT 68 Sep 743-748*

## L

- Laplace's equation**; finite difference solutions; treatment of boundary singularities by Motz technique. *Whiting, K. B., T-MTT 68 Oct 889-891*
- Laplace's equation in three dimensions**; numerical solution; application to design of coaxial line to slab line transition. *Sinnott, D. H., T-MTT 68 Feb 135-136*
- Latching switchable ferrite junction circulators**; theory and performance. *Siekawicz, W. W., T-MTT 68 Mar 177-183*
- Lens waveguides**; paraxial ray propagation; analysis by Z-transform techniques. *Daly, James C., T-MTT 68 Feb 95-98*
- Light ray propagation**; cf. Paraxial ray propagation
- Linear accelerators**;  $\pi$ -mode operation; nonzero group velocity at confluence of passbands. *McDiarmid, Don R., T-MTT 68 Jan 2-6*
- Loss tangent measurement**; ferroelectric materials with large dielectric constants; effects of sample temperature. *Horton, J. B., T-MTT 68 Oct 873-875*
- Losses**; cf. Insertion losses
- Losses in microstrip transmission lines**. *Pucel, Robert A., T-MTT 68 Jun 342-350*
- Lossy N-way hybrid power dividers**; input VSWR and output isolation. *Hindin, Harvey J., T-MTT 68 Mar 199-201*
- Lossy TEM transmission lines**; hybrid circuits for isolation and coupling; microwave integrated circuits; isolation limit theory. *Kurzrok, R. M., T-MTT 67 Feb 127-128*
- Low-noise, high-power, high-frequency oscillators**; design using directional coupler; FM noise performance. *Peppiatt, Harry J., T-MTT 68 Sep 748-752*
- Low-pass coaxial filters**; physical realization. *Snyder, Richard V., T-MTT 68 Apr 262-264*
- Low-pass coaxial filters**; VSWR of 1.05. *Levy, Ralph, T-MTT 68 Mar 142-147*
- Low-pass quasi-optical filters**; thin layers of dielectric interspersed with arrays of thin metallic strips; design; response in oversized waveguides. *Matthaei, George L., T-MTT 68 Dec 1038-1047*
- Lumped-element amplifiers**; hybrid integrated microwave amplifiers; design and performance. *Caulton, Martin, T-MTT 68 Jul 397-404*
- Lumped-element Y circulators**; equivalent circuit derivation. *Bergman, J. O., T-MTT 68 May 308-310*

## M

- Magnetic thin films**; microwave susceptibility measurement by voltage induction method. *Toda, Minoru, T-MTT 68 Oct 828-835*
- Magneto-microwave Kerr effect**; reflectometer measurement in semiconductors. *Vernon, R. J., T-MTT 68 Apr 262*
- Magnetoelastic waves**; parametric amplification at room temperature in YIG rods. *Lacklison, D. E., T-MTT 68 Nov 951-952*
- Magnetostriction effects**; ferrite material parameters in remanence devices. *Epstein, Richard, T-MTT 68 Jan 54-55*
- Maps**; radiometric map printed instantaneously during antenna scan by null-balancing scanning radiometer. *Kuenzi, Klaus, T-MTT 68 Sep 789-791*
- MARS**; cf. Millimeter wave amplification by resonance saturation
- Maser noise**; broad-band traveling-wave masers; evaluation of noise performance as a function of bandwidth. *Degruij, J. A., T-MTT 68 Sep 586-595*
- Masers**; cf. Millimeter wave masers; Traveling-wave masers
- Matching networks**; insertion losses of transmission lines; calculation. *Ricardi, L. J., T-MTT 68 Mar 189-191*
- Matching, broadband**; resonant circuits; circulators. *Schwartz, Eduard, T-MTT 68 Mar 158-165*
- Measurement errors due to uncertainty principle**; swept-frequency cavity measurement of solid material properties. *Waldron, R. A., T-MTT 68 May 314-315*



- Metal septums**; periodic spacing in square waveguides; suppression of higher-order modes. *Franklin, Sidney B.*, T-MTT 67 Apr 240-249
- Microstrip circulators**; size reduction. *Dunn, V. E.*, T-MTT 68 Dec 1060-1061
- Microstrip ferrite circulators**; performance data; hybrid microwave integrated circuits. *Allen, J. Lamar*, T-MTT 68 Jul 405-411
- Microstrip couplers**; directional X-band filters. *Kelley, Douglas*, T-MTT 68 Aug 560-562
- Microstrip ferrite phase shifters**; performance data. *Allen, J. Lamar*, T-MTT 68 Jul 405-411
- Microstrip lines**; analysis by Fourier transform and variational techniques; guide wavelength, characteristic impedance and surface potential distribution. *Yamashita, Eikichi*, T-MTT 68 Apr 251-256
- Microstrip microwave integrated circuits**; evaluation of materials and hybrid fabrication processes. *Keister, Frank Z.*, T-MTT 68 Jul 469-475
- Microstrip transmission line parameters**; characteristic impedance, phase velocity and attenuation parameters; calculation. *Stinehelfer, Harold E., Sr.*, T-MTT 68 Jul 439-444
- Microstrip transmission lines**; conductor losses. *Pucel, Robert A.*, T-MTT 68 Jun 342-350
- Microstrip transmission lines**; coupled pairs; theoretical analysis using dielectric Green's function; numerical tables of parameters. *Bryant, Thomas G.*, T-MTT 68 Dec 1021-1027
- Microstrip transmission lines**; maximally flat multistub bandpass filters. *Atwood, W.*, T-MTT 68 Jul 477-480
- Microstrip transmission lines**; monolithic gallium arsenide millimeter-wave integrated circuits. *Mao, S.*, T-MTT 68 Jul 455-461
- Microstrip transmission lines**; passivation coating; effects on silicon transmission line performance. *Emery, F. E.*, T-MTT 68 Jul 483-484
- Microstrip transmission lines**; variational analysis. *Yamashita, Eikichi*, T-MTT 68 Aug 529-535
- Microwave allpass networks**; C-type and D-type sections; realization of arbitrary delay characteristic by transformerless coupled-line network with an arbitrary additive constant. *Scanlan, Sean O.*, T-MTT 68 Feb 62-72
- Microwave allpass networks**; direct realization without reducing to cascade of C-type and D-type sections; use for phase correction of conventional microwave filters. *Scanlan, Sean O.*, T-MTT 68 Feb 72-79
- Microwave amplifiers**; hybrid integrated lumped-element amplifiers; design and performance. *Caulton, Martin*, T-MTT 68 Jul 397-404
- Microwave background radiation**; cf. Cosmic microwave background radiation
- Microwave circuit analysis**; equivalent generator approach. *Nemoto, Toshio*, T-MTT 68 Oct 866-873
- Microwave coders**; analog-digital converters with 1200 Mbit/s bit rate. *Fisher, Reed E.*, T-MTT 68 Aug 541-547
- Microwave delay lines**; YIG rod/sleeve configuration for dispersionless variable delay. *van de Vaart, H.*, T-MTT 68 Nov 965-966
- Microwave devices**; cf. Remanence devices
- Microwave Fabry-Perot resonators**; diagnostics of anisotropic plasmas. *Chaffin, Roger J.*, T-MTT 68 Oct 878-879
- Microwave Fabry-Perot resonators**; plasma diagnostics. *Chaffin, Roger J.*, T-MTT 68 Jan 37-45
- Microwave filters**; cf. Filters
- Microwave integrated circuits**; avalanche diode oscillators. *Blau, R.*, T-MTT 68 Mar 196-197
- Microwave integrated circuits**; computer-aided design of wide-band microwave transistor amplifiers on high dielectric substrates. *Gelnovatch, V. G.*, T-MTT 68 Jul 429-439
- Microwave integrated circuits**; coplanar high-power gallium arsenide Gunn-effect oscillators. *Norton, L. E.*, T-MTT 68 Jul 480-481
- Microwave integrated circuits**; diode structures for Ku-band integrated phase shifters. *Battershall, Barry W.*, T-MTT 68 Jul 445-450
- Microwave integrated circuits**; gallium arsenide monolithic integrated Gunn oscillators and Schottky barrier mixer diodes. *Mehal, Edward W.*, T-MTT 68 Jul 451-454
- Microwave integrated circuits**; hybrid-integrated S-band parametric amplifiers in microstrip transmission-line configuration. *Bura, P.*, T-MTT 68 Jul 424-428
- Microwave integrated circuits**; hybrid thin-film phase shift networks with diode-loaded lines; design and fabrication. *Opp, Francis L.*, T-MTT 68 Jul 462-468
- Microwave integrated circuits**; image terminated X-band Schottky barrier diode mixers with thin-film 500-MHz IF preamplifier. *Johnson, Kenneth M.*, T-MTT 68 Jul 388-397
- Microwave integrated circuits**; L-band hybrid integrated oscillators for radiosondes and projectile telemetry transmitters. *Presser, A.*, T-MTT 68 Jul 482-483
- Microwave integrated circuits**; maximally flat multistub bandpass filters with microstrip transmission lines on ceramic substrates. *Atwood, W.*, T-MTT 68 Jul 477-480
- Microwave integrated circuits**; microstrip nonreciprocal tunable YIG filters; circularly polarized field generation method. *Greene, Carl K.*, T-MTT 68 Jul 484-486
- Microwave integrated circuits**; passivation coating; effects on silicon microstrip transmission line performance. *Emery, F. E.*, T-MTT 68 Jul 483-484
- Microwave integrated circuits**; planar geometry ferrite devices. *Roome, Gerard T.*, T-MTT 68 Jul 411-420
- Microwave integrated circuits**; quarter-wave length 3-dB directional couplers for thin-film microwave integrated circuits. *Morris, J. E.*, T-MTT 68 Jul 476-477
- Microwave integrated circuits**; S- to X-band frequency quadruplers; design. *Johnson, Kenneth M.*, T-MTT 68 Jul 420-424
- Microwave integrated circuits**; variational analysis of microstrip transmission lines. *Yamashita, Eikichi*, T-MTT 68 Aug 529-535
- Microwave integrated circuits, hybrid microstrip**; evaluation of materials and fabrication processes. *Keister, Frank Z.*, T-MTT 68 Jul 469-475
- Microwave isolators**; waveguides partially filled with indium antimonide; experimental data at 35.0 GHz. *May, W. G.*, T-MTT 68 Oct 877-878
- Microwave measurement equipment**; automatic compensation for output signal fluctuation. *Kalinski, Jerzy*, T-MTT 68 Nov 963-965
- Microwave modules**; technical and economic aspects of integrated circuit techniques. *Webster, William M.*, T-MTT 68 Jul 384-388
- Microwave multiplexers**; printed-circuit narrowband complementary filters. *Wenzel, Robert J.*, T-MTT 68 Mar 147-157
- Microwave noise sources**; probability density function measurement. *Bates, C.*, T-MTT 68 Sep 793-795
- Microwave noise sources**; probability density function measurement for broad-band random microwave noise sources; technique using pulse height analyzer and pulse counter. *Gottfried, A. H.*, T-MTT 68 Sep 795-797
- Microwave phase bridge techniques**; measurement of mutual coupling for two loosely coupled identical antennas. *Mailloux, R. J.*, T-MTT 68 Feb 129-130
- Microwave power**; measurement by barretter substitution; confirmation of substitution error theory. *Adams, J. W.*, T-MTT 68 Mar 201-202
- Microwave power amplifiers**; pulsed and CW condition; additive noise measurement techniques. *Sann, Klaus H.*, T-MTT 68 Sep 761-766
- Microwave receivers**; calibration of noise sources; effect of mismatched components. *Otoshi, Tom Y.*, T-MTT 68 Sep 675-686
- Microwave receivers**; germanium avalanche diode beat oscillators. *Harkless, E. T.*, T-MTT 68 Aug 564-565
- Microwave sources**; noise measurement systems for AM and FM noise with high sensitivity over video and radio frequencies. *Ondria, John G.*, T-MTT 68 Sep 767-781
- Microwave susceptibility measurement**; voltage induction method; application to YIG films. *Toda, Minoru*, T-MTT 68 Oct 828-835
- Microwave switches**; SPDT diode switches with octave bandwidth; T-junction shunt-mounted diode configuration; high-power performance. *White, Joseph F.*, T-MTT 68 Jan 30-36
- Microwave thermal noise**; measurement standard for cryogenic temperatures; X-band source cooled by liquid helium. *Trembath, C. L.*, T-MTT 68 Sep 709-714
- Microwave thermal noise**; mismatched N-cascaded two-ports; analysis; applications to cryogenic noise temperature measurements. *Mukaihata, Tadao*, T-MTT 68 Sep 699-708
- Microwave thermal noise**; passive linear multiports; analysis. *Wait, David F.*, T-MTT 68 Sep 687-691
- Microwave thermal noise standards**; liquid-nitrogen-cooled; construction, calibration and errors. *Stelzried, Charles T.*, T-MTT 68 Sep 646-655
- Microwave transistor amplifiers**; computer-aided design of wide-band integrated amplifiers on high dielectric substrates. *Gelnovatch, V. G.*, T-MTT 68 Jul 429-439
- Microwave transistor noise**; measurement techniques in L- and S-bands. *Baechtold, W.*, T-MTT 68 Sep 578-585
- Microwave transmission systems**; RF breakdown protection; location of arcs by sound ranging. *Browne, A.*, T-MTT 68 Oct 894
- Millimeter wave amplification by resonance saturation**; 258-GHz reflection amplifier. *Liebe, Hans J.*, T-MTT 68 Oct 860-865
- Millimeter wave birefringent filters**; Solc type; scale model. *Schiffman, Bernard M.*, T-MTT 68 Jun 351-360
- Millimeter-wave integrated circuits**; gallium arsenide monolithic integrated Gunn oscillators and Schottky barrier mixer diodes. *Mehal, Edward W.*, T-MTT 68 Jul 451-454
- Millimeter-wave integrated circuits**; gallium arsenide monolithic integrated circuits with microstrip transmission lines; surface oriented devices. *Mao, S.*, T-MTT 68 Jul 455-461
- Millimeter wave masers**; bulk and chemically-deposited ferrite isolators. *Peyton, B. J.*, T-MTT 68 May 319-320
- Millimeter-wave oscillators**; automatic frequency control by molecular rotational resonance. *Cram, Milton E.*, T-MTT 68 Aug 548-553
- Millimeter-wave PCM communication systems**; ultrahigh-speed diode switches for 50 GHz band utilizing avalanche breakdown in transmitter-modulators. *Sugimoto, Shigetoki*, T-MTT 68 Dec 1017-1021
- Millimeter-wave quadruplers and up-converters**; planar-diffused gallium arsenide varactor diodes. *Lee, Tien Pei*, T-MTT 68 May 287-296
- Millimeter-wave reflectometers**; reflection coefficient measurement for E-band connectors. *Patty, O. L.*, T-MTT 68 Feb 121-123
- Millimeter wavelength filters**; diplexing filters with circular TE<sub>011</sub> mode resonator outputs; design procedure. *Standley, R. D.*, T-MTT 68 Jan 50-51
- Miniature dielectric resonator filters**. *Harrison, William H.*, T-MTT 68 Apr 210-218
- Mixers**; cf. Schottky barrier diode mixers
- Mixers, low-noise**; hybrid stripline type; cancellation of oscillator noise. *Lange, J.*, T-MTT 68 Jun 368-369
- Mode conversion**; nonuniform transitions; analysis of forward and backward scattered modes. *Tang, Charles C. H.*, T-MTT 68 Aug 494-502
- Mode conversion**; TE modes in conical and asymmetrical-rectangular waveguide tapers; phase and amplitude measurement. *Tomiyasu, K.*, T-MTT 68 Mar 197-199
- Mode filters**; oversized rectangular waveguides. *Butterweck, Hans-Jürgen*, T-MTT 68 May 274-281
- Mode propagation**; ray theory approximation in multilayered dielectric-loaded waveguides. *Robinson, J. E.*, T-MTT 68 Apr 261
- Mode propagation**; rectangular waveguides with T-septum for two-mode propagation. *Elliott, Robert S.*, T-MTT 68 May 282-286
- Mode scattering**; nonuniform waveguides; analysis. *Bahar, Ezekiel*, T-MTT 68 Aug 503-510
- Mode separation**; TM mode and TE mode; dielectrically-loaded slow wave structures. *McDiarmid, Don R.*, T-MTT 68 May 318-319
- Mode suppression**; periodically spaced finite-length metal septums in square waveguides. *Franklin, Sidney B.*, T-MTT 67 Apr 240-249
- Molecular resonance**; automatic frequency control system for millimeter-wave oscillators. *Cram, Milton E.*, T-MTT 68 Aug 548-553
- Motz technique**; treatment of boundary singularities in finite difference solutions of Laplace's equation; calculation of transmission-line parameters. *Whiting, K. B.*, T-MTT 68 Oct 889-891
- Moving anisotropic media**; cf. Anisotropic moving media
- Moving dispersive media**; nonrelativistic velocities; analysis of TE and TM modal fields in cylindrical waveguides. *Berger, Henry*, T-MTT 68 Jan 11-16
- Moving dispersive media**; relativistic velocities; electromagnetic wave propagation in cylindrical waveguides; analysis of modal field structures and electromagnetic power flow. *Berger, Henry*, T-MTT 68 Jan 16-20
- Moving media**; electromagnetic wave propagation; extended  $\nabla$  relations. *Nathan, Amos*, T-MTT 68 Oct 883-884
- Moving media**; first-order propagation of guided waves. *Censor, Dan*, T-MTT 68 Aug 565-566
- Moving media**; transient electromagnetic wave propagation in dispersive waveguides. *Berger, Henry*, T-MTT 68 Oct 842-849
- Multilayered dielectric-loaded waveguides**; ray theory approximation of mode propagation. *Robinson, J. E.*, T-MTT 68 Apr 261
- Multimode circular waveguides**; analysis of circumferential gaps. *Morita, Nagayoshi*, T-MTT 68 Mar 183-189
- Multiplexers**; cf. Microwave multiplexers



**Multiports**; cf. Passive linear multiports

**Multisection inhomogeneous impedance transformers**; approximately equal-ripple performance; general design procedure. *Ribley, Henry J., T-MTT 65 Sep 622-629*

**Multistub filters**; maximally flat bandpass filters with microstrip transmission lines on ceramic substrates; design and performance. *Atwood, W., T-MTT 68 Jul 477-480*

**Mumford's filters**; maximally flat bandpass filters; insertion loss versus normalized frequency curves. *Hindin, Harvey J., T-MTT 68 May 316-318*

## N

**N-cascaded two-ports, mismatched**; noise generation analysis; applications to cryogenic noise temperature measurements. *Mukaihata, Tadao, T-MTT 68 Sep 699-708*

**Narrowband filters**; printed-circuit complementary type; design and interconnection equivalent circuits. *Wenzel, Robert J., T-MTT 68 Mar 147-157*

**Negative capacitors**; impedance matching in dielectric-filled transmission lines. *Kelly, Alexander J., T-MTT 67 Oct 583-584*

**Neon tube noise generators**; noise temperature not in agreement with predicted electron temperature. *Olson, Keith W., T-MTT 68 Sep 640-645*

**Network design**; realizations using  $Q$  of transmission lines. *Joines, William T., T-MTT 68 Apr 258-260*

**Networks**; cf. Allpass networks

**Noise**; cf. Additive noise; Atmospheric noise fluctuation; Electrical noise; Maser noise; Microwave thermal noise; Microwave transistor noise; Oscillator noise

**Noise**; double-injection space-charge-limited solid-state diodes. *van der Ziel, A., T-MTT 68 May 308*

**Noise cancellation**; oscillator noise in hybrid stripline mixers. *Lange, J., T-MTT 68 Jun 368-369*

**Noise conversion**; cf. AM/PM noise conversion

**Noise figures**; active linear two-ports and three-ports; power wave scattering transfer matrix representation; charts. *Hirano, Kotaro, T-MTT 68 Sep 692-699*

**Noise generators**; broad-band random microwave noise sources; probability density function measurement using pulse height analyzer and pulse counter. *Gottfried, A. H., T-MTT 68 Sep 795-797*

**Noise generators**; calibration with X-band radiometers. *Somlo, P. I., T-MTT 68 Sep 664-669*

**Noise generators**; microwave gas-discharge noise sources; band transition noise measurement. *Olson, Keith W., T-MTT 68 Sep 797*

**Noise generators**; microwave noise sources; probability density function measurement using sampling oscilloscope. *Bates, C., T-MTT 68 Sep 793-795*

**Noise generators**; mismatched N-cascaded two-ports; analysis; applications to cryogenic noise temperature measurements. *Mukaihata, Tadao, T-MTT 68 Sep 699-708*

**Noise generators**; noise temperature calibration for microwave receivers with mismatched components. *Otoshi, Tom Y., T-MTT 68 Sep 675-686*

**Noise generators**; noise temperature measurement method independent of reflection coefficient of noise generator; theory and experimental verification. *Wait, David F., T-MTT 68 Sep 670-675*

**Noise generators, coaxial**; calibration in terms of waveguide standard. *Engen, Glenn F., T-MTT 68 Sep 636-639*

**Noise generators, gas-discharge**; noise temperature not in agreement with predicted electron temperature. *Olson, Keith W., T-MTT 68 Sep 640-645*

**Noise in synchronized oscillators**; analysis using simple model. *Kurokawa, Kaneyuki, T-MTT 68 Apr 234-240*

**Noise measurement systems**; AM and FM noise; microwave measurement system with high sensitivity over video and radio frequencies. *Ondria, John G., T-MTT 68 Sep 767-781*

**Noise measurements**; simultaneous measurement of gain and noise of two-ports using two noise generators as only signal sources; technique. *Kenney, James M., T-MTT 68 Sep 603-607*

**Noise standards**; gas-discharge tubes and associated waveguide mounts; high accuracy at S-, C- and X-band. *Denson, Colin I., T-MTT 68 Sep 655-663*

**Noise temperature**; antennas; measurement techniques for microwave frequencies. *Penzias, Arno A., T-MTT 68 Sep 608-611*

**Noise temperature**; gas-discharge noise generators. *Olson, Keith W., T-MTT 68 Sep 640-645*

**Noise temperature calibration**; microwave receivers with mismatched components; error analysis. *Otoshi, Tom Y., T-MTT 68 Sep 675-686*

**Noise temperature measurement**; method independent of reflection coefficient of noise generator; theory and experimental verification. *Wait, David F., T-MTT 68 Sep 670-675*

**Non-minimum-phase microwave filters**; synthesis. *Fjallbrant, Tore T., T-MTT 68 Dec 990-994*

**Nonreciprocal circular polarizers**; phase shifters using ferrites. *Reuss, M. L., Jr., T-MTT 67 Jan 37-41*

**Nonreciprocal two-ports**; scattering parameters; measurement. *Hoffman, G. R., T-MTT 67 Feb 131-133*

**Nonresonant perturbation theory**; measurement of electric and magnetic RF fields; input reflection coefficient measurement. *Steele, Charles W., T-MTT 66 Feb 70-74*

**Nonuniform waveguides**; mode conversion; analysis of forward and backward scattered modes. *Tang, Charles C. H., T-MTT 68 Aug 494-502*

**Nonuniform waveguides**; mode scattering analysis. *Bahar, Ezekiel, T-MTT 68 Aug 503-510*

**Null-balancing scanning radiometers**; 3 cm wavelength; radiometric map printed instantaneously during antenna scan. *Kuenzi, Klaus, T-MTT 68 Sep 789-791*

## O

**Offset series slots in stripline**; data for conductance calculation; frequency-independent curves. *Breithaupt, Robert W., T-MTT 68 Nov 969-971*

**Optical surface waves**; plane waveguide mode excitation on thin dielectric films; description, photographs and measurement technique; possibility of application to integrated data processors. *Shubert, Richard, T-MTT 68 Dec 1048-1054*

**Optical waveguides**; multimode transmission; optimum distribution of refractive index for minimum waveform distortion. *Kawakami, Shojiro, T-MTT 68 Oct 814-818*

**Oscillator noise**; AM and FM noise output of mutually synchronized solid-state microwave oscillators; theory and experimental confirmation. *Schlosser, Wolfgang O., T-MTT 68 Sep 732-737*

**Oscillator noise**; amplitude noise spectra for X-band avalanche diode oscillators. *Scherer, Ernst, T-MTT 68 Sep 781-788*

**Oscillator noise**; cancellation in stripline mixers. *Lange, J., T-MTT 68 Jun 368-369*

**Oscillator noise**; measurement equipment for AM and FM noise using Schottky barrier diode detector and improved discriminator. *Ashley, J. Robert, T-MTT 68 Sep 753-760*

**Oscillator noise**; reduction by use of transmission-stabilizing cavity; klystron oscillators and avalanche transit time oscillators. *Ashley, J. Robert, T-MTT 68 Sep 743-748*

**Oscillator noise suppression**; FM noise suppression by injection phase-locking; prediction of FM noise spectrum. *Hines, M. E., T-MTT 68 Sep 738-742*

**Oscillators**; cf. Avalanche diode oscillators; Beat oscillators; Gunn-effect oscillators; Millimeter-wave oscillators

**Oscillators**; L-band hybrid integrated oscillators for radiosondes and projectile telemetry transmitters. *Presser, A., T-MTT 68 Jul 482-483*

**Oscillators**; low-noise, high-power, high-frequency class C oscillators; design using directional coupler; FM noise performance. *Peppiatt, Harry J., T-MTT 68 Sep 748-752*

**Oscillators, synchronized**; noise analysis using simple model. *Kurokawa, Kaneyuki, T-MTT 68 Apr 234-240*

**Oversized rectangular waveguides**; mode filters. *Butterweck, Hans-Jurgen, T-MTT 68 May 274-281*

**Oversized waveguides**; quasi-optical low-pass filter consisting of thin layers of dielectric interspersed with arrays of thin metallic strips. *Matthaei, George L., T-MTT 68 Dec 1038-1047*

## P

**Pairs of microstrip transmission lines**; theoretical analysis using dielectric Green's function; numerical tables of parameters. *Bryant, Thomas G., T-MTT 68 Dec 1021-1027*

**Paradoxical surface waves**; ferrite-filled rectangular waveguides. *Gagne, Real R. J., T-MTT 68 Apr 241-250*

**Parallel conductor arrays**; equivalent circuit based on capacitance matrix. *Seviara, Rudolf, T-MTT 68 Oct 875-877*

**Parallel-coupled filters**; design of complementary microwave filters and pseudo-complementary microwave filters. *Wenzel, Robert J., T-MTT 68 Mar 191-192*

**Parallel-plane ferrite-filled waveguides**; dependence of phase-shift mechanism on electrical thickness. *Buck, Daniel C., T-MTT 68 Dec 1028-1033*

**Parallel-plate waveguides**; symmetrical four-port junctions and truncated bends; analysis. *Campbell, James J., T-MTT 68 Mar 165-176*

**Parallel-plate waveguides**; symmetrical truncated right-angle corners; analysis. *Campbell, James J., T-MTT 68 Aug 517-529*

**Parallel-strip lines**; embedded in or printed on dielectric sheets; calculation of characteristics; comparison of calculated and experimental values for aluminum-foil strips on polystyrene sheet. *Yamashita, Eikichi, T-MTT 68 Nov 972-973*

**Parametric amplification**; magnetoelastic waves in YIG rods; amplification with CW pumps appreciably smaller than with pulsed pumps. *Lacklison, D. E., T-MTT 68 Nov 951-952*

**Parametric amplifiers**; Chebyshev gain curve generated with the aid of Fano's broadband matching method. *Porra, V., T-MTT 68 Oct 880-882*

**Parametric amplifiers**; gain-bandwidth product optimization by idling circuit varactor diode spacing. *Aitchison, C. S., T-MTT 68 Jan 46-47*

**Parametric amplifiers**; hybrid-integrated S-band amplifiers in microstrip transmission-line configuration; design and performance characteristics. *Bura, P., T-MTT 68 Jul 424-428*

**Parametric amplifiers**; integrated S-band amplifier with flat-gain and linear phase response. *Okean, H. C., T-MTT 68 Dec 1057-1059*

**Parametric amplifiers**; 4GHz broad-band low-noise amplifier cooled by liquid helium; operation at 4.2 degrees K. *Josenhans, J. G., T-MTT 68 Sep 791-793*

**Parasitic elements**; tunnel diodes; effect on potential stability criteria. *Markowski, J., T-MTT 68 Jun 374*

**Paraxial ray propagation**; lens waveguides; Z-transform analysis. *Daly, James C., T-MTT 68 Feb 95-98*

**Particle separators**; perturbation measurement of transverse  $R/Q$  in iris-loaded waveguides. *Hahn, Harald, T-MTT 68 Jan 20-29*

**Passive linear multiports**; microwave thermal noise; analysis. *Wait, David F., T-MTT 68 Sep 687-691*

**PCM communication systems, millimeter-wave**; ultrahigh-speed diode switches for 50 GHz band. *Sugimoto, Shigetoki, T-MTT 68 Dec 1017-1021*

**PCM transmission**; microwave-carrier gray-code analog-digital converters with 1200 Mbit/s bit rate. *Fisher, Reed E., T-MTT 68 Aug 541-547*

**PDF**; cf. Probability density function

**Permittivity**; cork composition materials; dielectric constant and loss tangent at room temperature from 10 to 10 000 MHz. *Rueggeberg, Werner, T-MTT 68 Jan 55-57*

**Perturbation analysis**; modified method for guided waves in inhomogeneous media. *Chang, I. C., T-MTT 68 Apr 260*

**Perturbation measurement**; transverse  $R/Q$  in iris-loaded waveguides. *Hahn, Harald, T-MTT 68 Jan 20-29*

**Perturbation theory**; nonresonant perturbation theory for measurement of electric and magnetic RF fields; input reflection coefficient measurement. *Steele, Charles W., T-MTT 66 Feb 70-74*

**Phase shifters**; broadband shifters with continuously-tapered coupling; design; performance. *Tresselt, C. P., T-MTT 68 Jan 51-52*

**Phase shifters**; circular nonreciprocal polarizers using ferrites. *Reuss, M. L., Jr., T-MTT 67 Jan 37-41*

**Phase shifters**; diode loop binary phase shifters. *Connerney, William R., T-MTT 68 Feb 134-135*

**Phase shifters**; diode structures for integrated Ku-band phase shifters. *Battershall, Barry W., T-MTT 68 Jul 445-450*

**Phase shifters**; high-power air-cooled SPDT switch with differential phase shift circulator design. *Stern, Richard A., T-MTT 68 Dec 1034-1037*

**Phase shifters**; latching reciprocal polarization-insensitive ferrite device. *Meier, Paul J., T-MTT 68 Nov 958-959*

**Phase shifters**; longitudinally magnetized ferrite-filled waveguides; dependence of phase-shift mechanism on electrical thickness. *Buck, Daniel C., T-MTT 68 Dec 1028-1033*



**Phase shifters**; microstrip ferrite phase shifters performance data; hybrid microwave integrated circuits. *Allen, J. Lamar, T-MTT 68 Jul 405-411*

**Phase shifters**; microwave hybrid thin-film phase shift networks with diode-loaded lines; design and fabrication. *Opp, Francis L., T-MTT 68 Jul 462-468*

**Phase shifters**; reciprocal ferrite phase shifters; suppressed rotation theory; nonreciprocal coupling of cross-polarized waveguide modes. *Hord, William E., T-MTT 68 Nov 902-910*

**Phase shifters**; thin ferrite devices with planar geometry for microwave integrated circuits. *Roome, Gerard T., T-MTT 68 Jul 411-420*

**Phase shifters**; twin-slab nonreciprocal ferrite phase shifters; optimization technique. *Clark, William P., T-MTT 68 Nov 974-975*

**Phase standards**; broad-band differential phase shifter for use over 4.25 to 6.20 GHz range. *James, Allan V., T-MTT 68 Nov 944-949*

**Phased arrays of coaxial waveguides**; analysis; scalar product of circular and Cartesian wave functions. *Amitay, N., T-MTT 68 Apr 265-266*

**Plane waveguide mode excitation**; optical surface waves on thin dielectric films. *Shubert, Richard, T-MTT 68 Dec 1048-1054*

**Plasma columns**; harmonic generation in plasma columns at resonance. *McIntosh, R. C., T-MTT 68 Nov 950-951*

**Plasma diagnostics**; microwave Fabry-Perot resonators for diagnostics of anisotropic plasmas. *Chaffin, Roger J., T-MTT 68 Oct 878-879*

**Plasma diagnostics**; plasma electron density; plasma electron collision frequency; measurement with microwave Fabry-Perot resonators. *Chaffin, Roger J., T-MTT 68 Jan 37-45*

**Plasma-filled waveguides**; exact wave functions for electromagnetic wave propagation in cylindrically stratified columns. *Burman, R., T-MTT 68 Feb 127-129*

**Plasma noise sources**; cf. Gas-discharge noise generators

**Polarizers**; cf. Nonreciprocal circular polarizers

**Potential stability criteria**; tunnel diodes; effect of parasitic elements. *Markowski, J., T-MTT 68 Jun 374*

**Power combiners**; broadband TEM mode three-port hybrids. *Cohn, Seymour B., T-MTT 68 Feb 110-116*

**Power dividers**; cf. Binary power dividers

**Power dividers**; broadband TEM mode three-port hybrids. *Cohn, Seymour B., T-MTT 68 Feb 110-116*

**Power dividers**; lossy  $N$ -way hybrid type; input VSWR and output isolation. *Hindin, Harvey J., T-MTT 68 Mar 199-201*

**Power wave scattering transfer**; matrix representation of noise figures of active linear two-ports and three-ports. *Hirano, Kotaro, T-MTT 68 Sep 692-699*

**Poynting vector analysis**; radar target scintillation expressed as distortions of radar echo signal propagating in space. *Dunn, John H., T-MTT 68 Sep 715-728*

**Preselectors**; channel separation filters; improvement of frequency characteristics. *Nishimura, Sadahiko, T-MTT 68 Oct 891-893*

**Printed-circuit filters**; complementary narrowband type; design and interconnection equivalent circuits. *Wenzel, Robert J., T-MTT 68 Mar 147-157*

**Probability density function**; broad-band random microwave noise sources; measurement technique using pulse height analyzer and pulse counter. *Gottfried, A. H., T-MTT 68 Sep 795-797*

**Probability density function**; microwave noise sources; measurement technique using sampling oscilloscope. *Bates, C., T-MTT 68 Sep 793-795*

**Projectile telemetry transmitters**;  $L$ -band hybrid integrated oscillators. *Presser, A., T-MTT 68 Jul 482-483*

**Propagation constants**; dielectric-loaded waveguides; calculation by approximation technique. *Hord, William E., T-MTT 68 Apr 228-233*

**Propagation constants**; rectangular waveguides loaded with centrally placed semiconductor; approximate calculations. *Sheikh, R. H., T-MTT 68 Feb 117-121*

**Properties of solid materials**; measurement errors due to uncertainty principle. *Waldron, R. A., T-MTT 68 May 314-315*

**Pseudo-complementary microwave filters**; design. *Wenzel, Robert J., T-MTT 68 Mar 191-192*

**Pulse compression**; YIG two-port filter. *Bongianni, W. L., T-MTT 68 Dec 1061-1064*

## Q

**Quadrature coupler baluns**; broadband design. *Walker, Scott, T-MTT 68 Feb 132-133*

**Quasi-optical low-pass filters**; thin layers of dielectric interspersed with arrays of thin metallic strips; design; response in oversized waveguides. *Matthaei, George L., T-MTT 68 Dec 1038-1047*

## R

**Radar target scintillation**; expression as distortions of the radar echo signal propagating in space, independent of radar system parameters; Poynting vector analysis. *Dunn, John H., T-MTT 68 Sep 715-728*

**Radial wave numbers**; classification scheme for electromagnetic waves. *Schott, F. W., T-MTT 68 Nov 959-961*

**Radio frequency**; cf. RF

**Radiometers**; measurement of atmospheric noise fluctuations at 4 cm to 8 mm wavelengths. *Haroules, George G., T-MTT 68 Sep 611-620*

**Radiometers**; null-balancing scanning radiometer for 3 cm wavelength. *Kuenzi, Klaus, T-MTT 68 Sep 789-791*

**Radiometers**; use for measurement of insertion loss of radome materials. *Seidel, B. L., T-MTT 68 Sep 625-628*

**Radiometers**;  $X$ -band calibration of noise sources. *Somlo, P. I., T-MTT 68 Sep 664-669*

**Radiometers**; 3.3 mm; long-integration-time performance. *Johnson, Walter A., T-MTT 68 Sep 621-625*

**Radiometers using two reference temperatures**; performance analysis; experimental results for airborne  $X$ -band radiometers. *Hach, Johann-Peter, T-MTT 68 Sep 629-636*

**Radiosondes**;  $L$ -band hybrid integrated oscillators. *Presser, A., T-MTT 68 Jul 482-483*

**Radome materials**; insertion loss measurement using radiometers; technique. *Seidel, B. L., T-MTT 68 Sep 625-628*

**Rat-race hybrid rings**; stripline wideband couplers; design. *March, Steven, T-MTT 68 Jun 361*

**Ray propagation**; cf. Paraxial ray propagation

**Ray theory**; mode propagation approximation in multilayered dielectric-loaded waveguides. *Robinson, J. E., T-MTT 68 Apr 261*

**Receivers**; cf. Microwave receivers

**Reciprocal ferrite phase shifters**; suppressed rotation theory; nonreciprocal coupling of cross-polarized waveguide modes. *Hord, William E., T-MTT 68 Nov 902-910*

**Rectangular dielectric-loaded waveguides**; dispersion equations for all modes; frequency bandwidth. *Gardioli, Fred E., T-MTT 68 Nov 919-924*

**Rectangular ferrite-filled waveguides**; paradoxical surface waves. *Gagne, Real R. J., T-MTT 68 Apr 241-250*

**Rectangular oversized waveguides**; mode filters. *Butterweck, Hans-Jurgen, T-MTT 68 May 274-281*

**Rectangular waveguides**; characteristic impedance and coupling coefficient of coupled strip lines; effect of ground planes and sidewalls. *Krage, Mark K., T-MTT 68 May 302-307*

**Rectangular waveguides**; field distribution of units loaded with semiconductor rod; amplification and resonance phenomena. *Andersen, J. Bach, T-MTT 68 Mar 194-196*

**Rectangular waveguides**; loading with high thin magnetized ferrite slab against one sidewall; propagation of TE zero-order modes; impedance wall analysis. *Bernardi, P., T-MTT 68 Feb 126-127*

**Rectangular waveguides**; loading with centrally placed semiconductor; approximate calculations of propagation constants. *Sheikh, R. H., T-MTT 68 Feb 117-121*

**Rectangular waveguides**; multilayered dielectric-loaded type; ray theory approximation of mode propagation. *Robinson, J. E., T-MTT 68 Apr 261*

**Rectangular waveguides**; propagation of two modes with equal phase velocities. *Elliott, Robert S., T-MTT 68 May 282-286*

**Rectangular waveguides**; spark-gap switches for oversized waveguides in which both cross-sectional dimensions approximate two free-space wavelengths. *Quine, John P., T-MTT 68 Nov 952-955*

**Rectangular waveguides**; symmetrically truncated right-angle corners; analysis. *Campbell, James J., T-MTT 68 Aug 517-529*

**Reflecting beam waveguides**; circular bend design and connection to straight section. *Yamasaki, T., T-MTT 68 Jun 373-374*

**Reflection amplifiers**; 258-GHz amplification with hydrogen cyanide saturated gas resonance. *Liebe, Hans J., T-MTT 68 Oct 860-865*

**Reflection coefficient measurement**; millimeter-wave reflectometers. *Patty, O. L., T-MTT 68 Feb 121-123*

**Reflection coefficient standards**; circular TE<sub>01</sub> mode; circular irises in flange connection of matched termination. *Champlin, Keith S., T-MTT 68 Feb 90-94*

**Reflection coefficients**; linearly tapered waveguides; calculation by point-matching method. *Shockley, T. D., T-MTT 68 Aug 562-564*

**Reflection coefficients**; surface wave scattering by conducting plane annuluses. *Gillespie, Edmond S., T-MTT 68 Jun 334-341*

**Reflectivity of water**; measurement at 19.24 and 22.43 GHz with free-wave microwave reflectometer. *Thompson, Edgar J., T-MTT 68 Nov 938-943*

**Reflectometers**; magneto-microwave Kerr effect measurement in semiconductors. *Vernon, R. J., T-MTT 68 Apr 262*

**Reflectometers**; millimeter-wave reflection coefficient measurement. *Patty, O. L., T-MTT 68 Feb 121-123*

**Refractive index in optical waveguides**; optimum distribution for minimum waveform distortion. *Kawakami, Shojiro, T-MTT 68 Oct 814-818*

**Remanence devices**; magnetostriction effects on ferrite material parameters. *Epstein, Richard, T-MTT 68 Jan 54-55*

**Resistance**; cf. RF surface resistance

**Resonance**; cf. Ferromagnetic resonance

**Resonance in plasma columns**; harmonic generation. *McIntosh, R. C., T-MTT 68 Nov 950-951*

**Resonance saturation**; cf. Saturated gas resonances

**Resonant circuits**; broadband matching theory. *Schwartz, Eduard, T-MTT 68 Mar 158-165*

**Resonator filters**; UHF bandpass filter with two orthogonally coupled capacitively loaded TEM resonators. *Mariani, Elio A., T-MTT 68 Nov 966-967*

**Resonators**; cf. Cavity resonators; Concentric spherical resonators; Dielectric resonator filters; Microwave Fabry-Perot resonators

**Resonators**; termination by "flat-roof" reflectors; analysis of modes and losses by Fox and Li iteration method; experimental verification. *Checcacci, Pier F., T-MTT 68 Feb 103-109*

**RF breakdown protection**; waveguides; location of arcs by sound ranging. *Browne, A., T-MTT 68 Oct 894*

**RF measurement**; nonresonant perturbation theory; input reflection coefficient measurement. *Steele, Charles W., T-MTT 68 Feb 70-74*

**RF surface resistance at low temperatures**; computation using anomalous skin effect theory for various metals. *Duncan, L. W., T-MTT 68 Feb 130-131*

**Ring resonance effect**; switchable time-delay circuits with circulator switches. *Shipley, C. A., T-MTT 68 Mar 202-203*

**Rod waveguides**; surface wave propagation; effect of surface impedance variation. *Tsandoulas, G. N., T-MTT 68 Oct 886-888*

**Rods between parallel ground planes**; design data for partially decoupled rods. *Cristal, Edward G., T-MTT 68 May 311-314*

**Rutile dielectric resonators, single-crystal**; experimental data on circuit properties. *Karp, Arthur, T-MTT 68 Oct 818-828*

**Rutile traveling-wave masers**; extremely compact high-gain design; 1300 to 3400 Hz range. *Rydbeck, O. E. H., T-MTT 68 Sep 799-803*

## S

**Saturated gas resonances**; hydrogen cyanide; 258-GHz reflection amplifier. *Liebe, Hans J., T-MTT 68 Oct 860-865*

**Scanning radiometers**; null-balancing type for 3 cm wavelength; radiometric map printed instantaneously during antenna scan. *Kuenzi, Klaus, T-MTT 68 Sep 789-791*

**Scattering**; cf. Mode scattering

**Scattering of surface waves**; conducting plane annuluses. *Gillespie, Edmond S., T-MTT 68 Jun 334-341*

**Scattering parameters**; nonreciprocal two-ports; measurement. *Hoffman, G. R., T-MTT 68 Feb 131-133*

**Scattering parameters**; 2n-way binary power dividers; calculation. *Hindin, Harvey J., T-MTT 68 Aug 568-569*

**Schottky barrier diode mixers**; image terminated  $X$ -band integrated circuits with thin-film 500-MHz IF preamplifier. *Johnson, Kenneth M., T-MTT 68 Jul 388-397*



- Schottky barrier diodes**; detectors in microwave oscillator AM noise measurement equipment. *Ashley, J. Robert, T-MTT 68 Sep 753-760*
- Schottky barrier mixer diodes**; gallium arsenide diodes for monolithic microwave integrated circuits. *Mehal, Edward W., T-MTT 68 Jul 451-454*
- Semiconductor rods in waveguides**; field distribution for positive and negative conductivity. *Andersen, J. Bach, T-MTT 68 Mar 194-196*
- Semiconductors**; magneto-microwave Kerr effect; measurement by reflectometers. *Vernon, R. J., T-MTT 68 Apr 262*
- Septums**; periodically spaced finite-length metal septums; suppression of higher-order modes in square waveguides. *Franklin, Sidney B., T-MTT 67 Apr 240-249*
- Short-term stability**; microwave oscillators; measurement equipment. *Ashley, J. Robert, T-MTT 68 Sep 753-760*
- Signal level fluctuation**; microwave generators; automatic compensation in measuring setups. *Kalinski, Jerzy, T-MTT 68 Nov 963-965*
- Silicon avalanche diodes**; X-band amplitude noise spectra. *Scherer, Ernst, T-MTT 68 Sep 781-788*
- Silicon chips**; operation as pulsed avalanche diode oscillators. *Blau, R., T-MTT 68 Mar 196-197*
- Single-arm reflectometers**; use at E-band. *Patty, O. L., T-MTT 68 Feb 121-123*
- Single-pole double-throw**; cf. SPDT
- Slot antennas**; offset series slots in stripline; conductance calculation data; frequency-independent curves. *Breithaupt, Robert W., T-MTT 68 Nov 969-971*
- Slow wave structures**; circumferential-slot-coupled structure; reversed-loop-coupled structure; centipede structure; nonzero group velocity at confluence of passbands. *McDiarmid, Don R., T-MTT 68 Jan 2-6*
- Slow wave structures, dielectrically loaded**; mode separation. *McDiarmid, Don R., T-MTT 68 May 318-319*
- Solid-state microwave oscillators, mutually synchronized**; AM and FM noise output; theory and experimental confirmation. *Schlosser, Wolfgang O., T-MTT 68 Sep 732-737*
- Solid-state plasma waveguides**; electromagnetic wave propagation theory; Faraday effects. *Kuno, Hiromu J., T-MTT 67 Dec 661-668*
- Solids**; errors in swept-frequency cavity measurement of properties. *Waldron, R. A., T-MTT 68 May 314-315*
- Sound ranging**; location of waveguide arcs; feasibility study. *Browne, A., T-MTT 68 Oct 894*
- Space-charge-limited solid-state diodes**; noise in double-injection type smaller than in single-injection type. *van der Ziel, A., T-MTT 68 May 308*
- Spark-gap switches**; oversize rectangular waveguides; symmetrical arrays of eight de-triggered spark gaps. *Quine, John P., T-MTT 68 Nov 952-955*
- SPDT high-power switches**; air-cooled ferrite latching device with differential phase shift circulator design. *Stern, Richard A., T-MTT 68 Dec 1034-1037*
- SPDT switches**; microwave diode switches with octave bandwidth; T-junction shunt-mounted diode configuration; high-power performance. *White, Joseph F., T-MTT 68 Jan 30-36*
- Square waveguides**; ferrite-filled longitudinally magnetized square waveguides; normal modes calculated with generalized telegraphist's equations. *Hord, William E., T-MTT 68 Nov 967-969*
- Square waveguides**; suppression of higher-order modes with periodically spaced finite-length metal septums. *Franklin, Sidney B., T-MTT 67 Apr 240-249*
- Stabilizing networks**; tunnel-diode amplifiers; computer-aided design. *Bandler, John W., T-MTT 68 Jun 326-333*
- Standards**; cf. Phase standards; Reflection coefficient standards; Thermal noise standards; Waveguide noise standards
- Standing-wave ratio**; binary TEM power dividers. *Hindin, Harvey J., T-MTT 68 Feb 123-125*
- Star modulators**; four-diode star mixer/modulator realizations. *Mouw, Robert B., T-MTT 68 Nov 911-918*
- Stepped transmission-line transformers**; design. *Hamid, M. A., T-MTT 67 Sep 528-529*
- Strip lines**; microstrip line analysis by Fourier transform and variational techniques. *Yamashita, Eikichi, T-MTT 68 Apr 251-256*
- Strip transmission lines**; computation of Maxwellian capacitance matrix. *Kammler, David W., T-MTT 68 Nov 925-937*
- Strip transmission lines**; dielectric supported; characteristic impedance and velocity ratio as functions of dimensional ratios. *Earle, Michael A., T-MTT 68 Oct 884-885*
- Strip-transmission lines, balanced**; symmetrical four-port junctions and truncated bends; analysis. *Campbell, James J., T-MTT 68 Mar 165-176*
- Stripline baluns, broadband**; design using quadrature couplers. *Walker, Scott, T-MTT 68 Feb 132-133*
- Stripline circuits**; coplanar high-power gallium arsenide Gunn-effect oscillators; microwave integrated circuits. *Norton, L. E., T-MTT 68 Jul 480-481*
- Stripline circuits**; waveguide-to-stripline broadband transition. *Knerr, R. H., T-MTT 68 Mar 192-194*
- Stripline couplers**; wideband hybrid rings; design. *March, Steven, T-MTT 68 Jun 361*
- Stripline filters**; end-coupled symmetric type; calculation of gap spacing. *Richardson, J. K., T-MTT 68 Aug 559-560*
- Stripline slot antennas**; offset series slots; conductance calculation data; frequency-independent curves. *Breithaupt, Robert W., T-MTT 68 Nov 969-971*
- Striplines**; parallel-strip lines embedded in or printed on dielectric sheets; calculation of characteristics. *Yamashita, Eikichi, T-MTT 68 Nov 972-973*
- Strontium titanate dielectric resonators, single-crystal**; experimental data on circuit properties. *Karp, Arthur, T-MTT 68 Oct 818-828*
- Substitution errors in barretters**; experimental confirmation. *Adams, J. W., T-MTT 68 Mar 201-202*
- Surface oriented devices**; monolithic gallium arsenide millimeter-wave integrated circuits with microstrip transmission lines. *Mao, S., T-MTT 68 Jul 455-461*
- Surface oriented diodes**; monolithic integrated Ku-band phase shifters. *Battershall, Barry W., T-MTT 68 Jul 445-450*
- Surface resistance, RF**; at low temperatures; computation using anomalous skin effect theory for various metals. *Duncan, L. W., T-MTT 68 Feb 130-131*
- Surface wave propagation**; optical surface waves on thin dielectric films; description, photographs and measurement technique; possibility of application to integrated data processors. *Shubert, Richard, T-MTT 68 Dec 1048-1054*
- Surface wave propagation**; rod waveguides; effect of surface impedance variation. *Tsandoulas, G. N., T-MTT 68 Oct 886-888*
- Surface waveguides**; corners for plane dielectric-coated conductors; design. *Stutzman, Warren L., T-MTT 68 Jan 52-53*
- Surface waves**; ferrite-filled rectangular waveguides; thermodynamic paradox. *Gagne, Real R. J., T-MTT 68 Apr 241-250*
- Surface waves, axial cylindrical**; scattering by conducting plane annuluses. *Gillespie, Edmond S., T-MTT 68 Jun 334-341*
- Susceptibility measurement**; cf. Microwave susceptibility measurement
- Swept-frequency cavity measurement**; properties of solid materials; errors due to uncertainty principle. *Waldron, R. A., T-MTT 68 May 314-315*
- Switchable circulators**; fast low-energy switching by latching ferrite junctions. *Siekawicz, W. W., T-MTT 68 Mar 177-183*
- Switches**; cf. Diode switches; Microwave switches; Spark-gap switches
- Switches**; high-power air-cooled SPDT ferrite latching switch; differential phase shift circulator design. *Stern, Richard A., T-MTT 68 Dec 1034-1037*
- Synchronized oscillators**; AM and FM noise output; theory and experimental confirmation. *Schlosser, Wolfgang O., T-MTT 68 Sep 732-737*
- Synchronized oscillators**; injection phase-locking; FM noise suppression and prediction of FM noise spectrum. *Hines, M. E., T-MTT 68 Sep 738-742*
- T**
- Tandem couplers**; construction of 3-dB couplers by tandem connection of two 8.34-dB asymmetric couplers. *Hindin, Harvey J., T-MTT 68 Feb 125-126*
- Tapered-line phase shifters**; continuously-tapered coupling; design; performance. *Tresselt, C. P., T-MTT 68 Jan 51-52*
- Tapered waveguides**; reflection and transmission coefficients; calculation by point-matching method. *Shockley, T. D., T-MTT 68 Aug 562-564*
- Tapers**; cf. Waveguide tapers
- TE modal fields**; guided electromagnetic wave propagation in cylindrical waveguides with dispersive media moving at nonrelativistic velocities; analysis. *Berger, Henry, T-MTT 68 Jan 11-16*
- TE modes**; mode conversion in conical and asymmetrical-rectangular waveguide tapers. *Tomiyasu, K., T-MTT 68 Mar 197-199*
- Telegraphist's equations**; calculation of normal modes in longitudinally magnetized ferrite-filled square waveguides. *Hord, William E., T-MTT 68 Nov 967-969*
- Telemetry transmitters, projectile**; L-band hybrid integrated oscillators. *Presser, A., T-MTT 68 Jul 482-483*
- TEM microwave components**; design data for partially decoupled rods between parallel ground planes. *Cristal, Edward G., T-MTT 68 May 311-314*
- TEM mode components**; design with the aid of Laplace's equation in three dimensions. *Sinnott, D. H., T-MTT 68 Feb 135-136*
- TEM-mode transmission lines with curved boundaries**; calculation of upper bound for characteristic impedance. *Sinnott, D. H., T-MTT 68 Nov 971-972*
- TEM resonators**; use in UHF bandpass filters. *Mariani, Elio A., T-MTT 68 Nov 966-967*
- TEM waves**; propagation along twist axis in twisted anisotropic media; solution of wave equation. *DaSilva, J. Borges, T-MTT 68 May 296-302*
- TE<sub>0</sub> modes**; cutoff frequencies and propagation numbers in dielectric-loaded waveguides; computer-printed tables. *Seckelmann, Robert, T-MTT 68 Jun 362-368*
- TE<sub>01</sub> mode**; transmission in circular multimode waveguides; analysis of circumferential gaps. *Morita, Nagayoshi, T-MTT 68 Mar 183-189*
- Thermal noise**; cf. Microwave thermal noise
- Thermal noise standards**; cryogenic temperatures; X-band source cooled by liquid helium. *Trembath, C. L., T-MTT 68 Sep 109-114*
- Thermal noise standards**; helium cooling. *Mukaihata, Tadao, T-MTT 68 Sep 699-708*
- Thermodynamic paradox**; paradoxical surface waves in ferrite-filled rectangular waveguides. *Gagne, Real R. J., T-MTT 68 Apr 241-250*
- Thin dielectric films**; optical surface waves; possibility of application to integrated data processors. *Shubert, Richard, T-MTT 68 Dec 1048-1054*
- Thin-film amplifiers**; hybrid integrated microwave lumped-element amplifiers; design and performance. *Caulton, Martin, T-MTT 68 Jul 397-404*
- Thin-film integrated circuits**; quarter-wave length 3-dB directional couplers for microwave integrated circuits. *Morris, J. E., T-MTT 68 Jul 476-477*
- Thin-film phase shifters**; microwave hybrid phase shift networks with diode-loaded lines; design and fabrication. *Opp, Francis L., T-MTT 68 Jul 462-468*
- Three-port hybrids, broadband TEM mode**; analysis; power divider and power combiner applications. *Cohn, Seymour B., T-MTT 68 Feb 110-116*
- Three-port waveguide circulators, broadband**; theoretical design. *Parsonson, C. G., T-MTT 68 Apr 256-258*
- Time-delay circuits**; switchable type with circulator switches; isolation dependence on insertion loss. *Shipley, C. A., T-MTT 68 Mar 202-203*
- TM modal fields**; guided electromagnetic wave propagation in cylindrical waveguides with dispersive media moving at nonrelativistic velocities; analysis. *Berger, Henry, T-MTT 68 Jan 11-16*
- TM mode**; microwave breakdown and heating enhancement in plasmas. *Rode, D. L., T-MTT 68 Jun 369-372*
- Transformers**; transmission-line matching; stepped design. *Hamid, M. A., T-MTT 67 Sep 528-529*
- Transistor amplifiers**; computer-aided design of wide-band integrated microwave transistor amplifiers on high dielectric substrates. *Gelnovatch, V. G., T-MTT 68 Jul 429-439*
- Transistors**; cf. Microwave transistors
- Transition from coaxial line to slab line**; design with the aid of Laplace's equation in three dimensions. *Sinnott, D. H., T-MTT 68 Feb 135-136*
- Transitions**; cf. Nonuniform transitions; Waveguide to microstrip-line transitions; Waveguide-to-stripline transitions
- Transmission coefficients**; linearly tapered waveguides; calculation by point-matching method. *Shockley, T. D., T-MTT 68 Aug 562-564*
- Transmission-line cascades**; interdigital filters; relationships between parameters; admittance matrix. *Riblet, Henry J., T-MTT 67 Mar 161-166*
- Transmission-line coupling**; nonsymmetrical generalizations; reentrant cross section. *Cristal, Edward G., T-MTT 67 Sep 529-530*
- Transmission-line directional couplers**; design with high-pass coupling characteristic. *Arndt, Fritz, T-MTT 68 May 310-311*
- Transmission-line matching systems**; unit real function analysis. *Gledhill, C. S., T-MTT 68 Jan 49-50*
- Transmission-line pairs**; synthesis of directional couplers and allpass networks. *Steenart, Willem, T-MTT 68 Aug 554-555*
- Transmission-line parameters**; calculation by Motz technique. *Whiting, K. B., T-MTT 68 Oct 889-891*
- Transmission-line Q**; realizations of networks; networks. *Joines, William T., T-*



MTT 68 Apr 258-260

- Transmission-line scattering of surface waves;** conducting plane annuluses. Gillespie, Edmond S., T-MTT 68 Jun 334-341
- Transmission-line transformers;** stepped design. Hamid, M. A., T-MTT 67 Sep 528-529
- Transmission lines;** cf. Curved-boundary transmission lines; Dielectric-filled transmission lines; Exponential transmission lines; Lossy TEM transmission lines; Microstrip transmission lines; Strip transmission lines
- Transmission lines;** commensurate networks; frequency transformation. Cristal, Edward G., T-MTT 67 Jun 348-357
- Transmission lines;** generalized rectangular type; characteristic impedances. Guckel, H., T-MTT 65 May 270-274
- Transmission lines;** partially decoupled rods between parallel ground planes; design data. Cristal, Edward G., T-MTT 68 May 311-314
- Transmission-stabilizing cavities;** microwave oscillators; use for noise reduction. Ashley, J., J. Robert, T-MTT 68 Sep 743-748
- Transmitters;** cf. Telemetry transmitters
- Transverse R/Q;** perturbation measurements in iris-loaded waveguides. Hahn, Harald, T-MTT 68 Jan 20-29
- Traveling-wave masers;** design for operation at 8448 MHz; performance. Petty, S. M., T-MTT 68 Jan 47-48
- Traveling-wave masers;** extremely compact high-gain chromium-doped rutile masers for 1300 to 3400 Hz range. Rydbeck, O. E. H., T-MTT 68 Sep 799-803
- Traveling-wave masers, broad-band;** noise performance. Degruyl, J. A., T-MTT 68 Sep 586-595
- Tuners;** high-power waveguide tuner. Muehe, C. E., T-MTT 68 Oct 882-883
- Tunnel-diode amplifiers;** computer-aided design of stabilizing networks. Bandler, John W., T-MTT 68 Jun 326-333
- Tunnel diodes;** potential stability criteria; effect of parasitic elements. Markowski, J., T-MTT 68 Jun 374
- Twin-slab phase shifters;** figure-of-merit optimization technique for nonreciprocal ferrite device. Clark, William P., T-MTT 68 Nov 974-975
- Twisted anisotropic media;** propagation of TEM waves along twist axis; solution of wave equation. DaSilva, J. Borges, T-MTT 68 May 296-302
- Two-mode waveguides;** rectangular waveguides with T-septum. Elliott, Robert S., T-MTT 68 May 282-286
- Two-ports;** cf. N-cascaded two-ports
- Two-ports;** active linear two-ports and three-ports; noise figures; power wave scattering transfer matrix representations and charts. Hirano, Kotaro, T-MTT 68 Sep 692-699
- Two-ports;** effects of realizability conditions on estimation of mismatch error limits in attenuator calibration. Beatty, R. W., T-MTT 68 Nov 976
- Two-ports;** simultaneous measurement of gain and noise using two noise generators as only signal sources; technique. Kenney, James M., T-MTT 68 Sep 603-607
- Two-ports, nonreciprocal;** measurement of scattering parameters. Hoffman, G. R., T-MTT 67 Feb 131-133

## U

- UHF filters;** bandpass filter with two orthogonally coupled capacitively loaded TEM resonators. Mariani, Elio A., T-MTT 68 Nov 966-967
- UHF microwave components;** design data for partially decoupled rods between parallel ground planes. Cristal, Edward G., T-MTT 68 May 311-314
- Ultra cones;** ultra-low-noise front ends for horn antennas used in deep space exploration. Levy, Gerald S., T-MTT 68 Sep 596-602
- Ultrahigh-speed diode switches;** for 50 GHz band; avalanche breakdown in varactor diodes. Sugimoto, Shigetoki, T-MTT 68 Dec 1017-1021
- Uncertainty principle errors;** swept-frequency cavity measurement of solid material properties. Waldron, R. A., T-MTT 68 May 314-315
- Uniform transmission lines;** equivalence to cascaded exponential transmission lines. Das, Dipti, T-MTT 68 Aug 511-516
- Unit real functions;** transmission-line matching systems analysis. Gledhill, C. S., T-MTT 68 Jan 49-50

## V

- Varactor diode parametric amplifiers;** gain-bandwidth product optimization by idling circuit diode spacing. Aitchison, C. S., T-MTT 68 Jan 46-47
- Varactor diodes;** avalanche breakdown; ultrahigh-speed switches for 50 GHz band. Sugimoto, Shigetoki, T-MTT 68 Dec 1017-1021
- Varactors;** procedure for calculating Q from impedance versus bias measurements. Sard, Eugene W., T-MTT 68 Oct 849-860
- Variable delay lines, dispersionless;** YIG rod/sleeve configuration. van de Vaart, H., T-MTT 68 Nov 965-966
- Voltage induction measurement techniques;** microwave susceptibility measurement. Toda, Minoru, T-MTT 68 Oct 828-835
- Volume minimization;** realization in equal-element bandpass microwave filters. Taub, Jesse J., T-MTT 68 Apr 264-265

VSWR; cf. Standing-wave ratio

## W

- Water;** reflectivity measurement at 19.24 and 22.43 GHz with free-wave microwave reflectometer. Thompson, Edgar J., T-MTT 68 Nov 938-943
- Wave functions;** circular and Cartesian; scalar product. Amitay, N., T-MTT 68 Apr 265-266
- Waveform distortion in optical waveguides;** minimization by optimum distribution of refractive index. Kawakami, Shojiro, T-MTT 68 Oct 814-818
- Waveguide analysis;** numerical solution with fast Fourier transforms; application to waveguide section containing two identical irises. Carson, C. T., T-MTT 68 Nov 955-958
- Waveguide arcs;** location by sound ranging; feasibility study. Browne, A., T-MTT 68 Oct 894
- Waveguide circulators;** broadband three-port type; theoretical design. Parsonson, C. G., T-MTT 68 Apr 256-258
- Waveguide corners;** plane dielectric-coated conductor surface waveguides. Stutzman, Warren L., T-MTT 68 Jan 52-53
- Waveguide coupling;** dielectric resonators; experimental data for rutile and strontium titanate resonators. Karp, Arthur, T-MTT 68 Oct 818-828
- Waveguide directional couplers;** multiaperture; analysis based on equivalent four-port network; synthesis technique. Levy, Ralph, T-MTT 68 Dec 995-1006
- Waveguide discontinuities;** closed-form integration of scalar product of wave functions. Amitay, N., T-MTT 68 Apr 265-266
- Waveguide isolators;** waveguides partially filled with indium antimonide; experimental data at 35.0 GHz. May, W. G., T-MTT 68 Oct 877-878
- Waveguide modes;** higher-order mode analysis; accurate finite-difference method using successive overrelaxation; algorithm. Beaubien, Marcel J., T-MTT 68 Dec 1007-1017
- Waveguide mounts;** impedance of packaged diode in waveguide mount related to impedance measured at waveguide terminals. van Iperen, B. B., T-MTT 68 Nov 961-963
- Waveguide noise standards;** calibration of coaxial noise generators. Engen, Glenn F., T-MTT 68 Sep 636-639
- Waveguide noise standards, liquid-nitrogen-cooled;** construction, calibration and errors. Stelzried, Charles T., T-MTT 68 Sep 646-655
- Waveguide tapers;** conical and asymmetrical-rectangular waveguides; mode conversion. Tomiyasu, K., T-MTT 68 Mar 197-199
- Waveguide theory;** guided waves in inhomogeneous media; perturbation analysis. Chang, I. C., T-MTT 68 Apr 260
- Waveguide to microstrip-line transitions;** millimeter-wave integrated circuits. Mao, S., T-MTT 68 Jul 455-461
- Waveguide-to-stripline transitions;** stripline circuits. Knerr, R. H., T-MTT 68 Mar 192-194
- Waveguide tuners;** high-power tuners; design. Muehe, C. E., T-MTT 68 Oct 882-883
- Waveguides;** cf. Circular waveguides; Coupled dissimilar waveguides; Cylindrical waveguides; Dielectric-loaded waveguides; Ferrite-filled waveguides; Iris-loaded waveguides; Lens waveguides; Nonuniform waveguides; Optical waveguides; Oversized waveguides; Parallel-plate waveguides; Plasma-filled waveguides; Rectangular waveguides; Reflecting beam waveguides; Rod waveguides; Solid-state plasma waveguides; Square waveguides; Surface waveguides; Tapered waveguides
- Waveguides;** moving media effects on transient electromagnetic wave propagation in dispersive waveguides. Berger, Henry, T-MTT 68 Oct 842-849

## Y

- Y circulators with lumped elements;** equivalent circuit. Bergman, J. O., T-MTT 68 May 308-310
- Y-junction E-plane circulators;** high power; design and experimental measurements. Wright, William H., Jr., T-MTT 68 Aug 557-559
- YIG films;** microwave susceptibility measurement by voltage induction method. Toda, Minoru, T-MTT 68 Oct 828-835
- YIG filters;** microstrip single-crystal YIG devices; performance data. Allen, J. Lamar, T-MTT 68 Jul 405-411
- YIG filters;** nonreciprocal tunable filters in microstrip configuration; microwave integrated circuits. Greene, Carl K., T-MTT 68 Jul 484-486
- YIG filters;** pulse compression. Bongianini, W. L., T-MTT 68 Dec 1061-1064
- YIG rods;** parametric amplification of magnetoelastic waves at room temperature. Lacklison, D. E., T-MTT 68 Nov 951-952
- Yttrium iron garnet;** cf. YIG

## Z

- Z-transform techniques;** analysis of paraxial ray propagation in lens waveguides. Daly, James C., T-MTT 68 Feb 95-98











